

BENCHMADE[®]

KNIFE COMPANY



2016 CATALOG

HOW TO CHOOSE YOUR BENCHMADE KNIFE

There are four primary factors in considering a Benchmade knife: the activity you are using it for, the opening mechanism, the blade style and the blade steel. Read below to make sure you get the knife that works for you.

ACTIVITY

Outdoor, Tactical, Everyday use—there are many uses for a knife and some knives are better for certain activities than others. Look to our recommended use icons for guidance (*See foldout*).

MECHANISM

We offer five primary actions: manual opening, assisted opening, automatic opening, fixed blade and bali-song. If you are a mountain climber, you may want an assist. If you are a sportsman, a fixed blade may be the right choice. Whatever the case, consider which mechanism type is optimal for your needs. Mechanisms like the AXIS® lock deliver manual opening, assisted opening and automatic opening. Others, like the monolock, deliver only manual opening. For a quick overview, see the next page of this guide; for detailed information on our mechanisms, visit page 93.

BLADE STYLE





While the cutting edge does the work, the edge is applied in different ways to the cutting surface depending on the shape of the blade. Blade shapes with larger radiuses may be optimal for hunting while blade shapes with hard angles, like the tanto, may be better for tactical applications. The next page of this guide helps to explain these variations.

BLADE STEEL

Steel composition can mean the difference between 1 sharp cut and 1,000. There are many types of steel and additional factors that play into the right kind of steel for your usage. For instance, the way some steels are heat treated plays a critical role in a knife's performance. For more detailed information, visit page 94.

BENCHMADE QUICK GUIDE

HOW WILL YOU USE YOUR KNIFE?

-  **TACTICAL** Designed for hard, immediate use, these high strength knives feature robust mechanisms for situations where performance is a must.
-  **RESCUE** For critical situations. Gloved hands and the need to cut pliable materials are considerations in the design of these knives.
-  **EVERY DAY** Not obtrusive or uncomfortable in slacks or shorts; just convenient and well fitted to your general needs.
-  **OUTDOOR** From water to woods, backpacking trips to car camping, kayaking to fly-fishing, these versatile cutting tools can be used for many tasks.
-  **HUNTING** Knives are a critical component of a successful hunt. These are the most advanced hunting knives ever made.
-  **SURVIVAL** Things can happen unexpectedly for any adventurer. These knives have been built for the unexpected.

KEY KNIFE FEATURES



AXIS® Exclusive to Benchmade, the AXIS® lock is truly ambidextrous and extremely strong.



Dual-Action Works both as auto and manual opening mechanism.



Ambidextrous Can be used equally with either hand.



Reversible Clip Pocket clip can be removed and placed in alternate locations on the handle.



MOLLE® Compatible A versatile attachment system designed for kitting military equipment.



LifeSharp: Service and Warranty Our industry-leading lifetime warranty and product service program. For more detailed information, visit pages 89 and 96.

ACTIONS

Manual-opening “Manuals” must be opened 100%, from the closed position to the open position, by the user.

Assisted-opening “Assists” have a spring that encourages the blade into the open position once the user pushes the blade manually beyond a certain point.

Automatic-opening “Autos” have a button or other actuation switch that mechanically fires the blade open without the user directly manipulating the blade.

Bali-Song® “Balis” or “butterfly knives” open and close by way of two handles that rotate around the front and back of the blade.

Fixed Blade These knives are permanently open and almost always come with a sheath to protect the edge.


BLADE STYLES



Clip-point A classic shape with precision tip-control and good versatility.



Drop-point A well balanced blade shape, often found on hunting knives and utility-purposed knives.



Reverse Tanto High tip strength combined with an edge radius that offers more general utility.




Sheepsfoot Typically a general purpose, good slicing shape.



Spear-point This symmetrical style makes for good slicing and puncturing.



Tanto Mostly tactical in nature, the tip-strength is typically very high.



Weehawk Our classic bali-song blade style.

CONFIGURATION CODES (INSIDE OF MODEL NUMBERS)

BLADE VARIATIONS

- None** No coating, no serrations
- S** Serrations, no coating
- BK** Black coating, no serrations
- SBK** Serrations and black coating

HANDLE

- ORG** Orange
- OD** Olive Drab
- SN** Sand
- PNK** Pink
- YEL** Yellow
- BLU** Blue
- *-1, -2, etc. typically indicate handle material variations

HOW TO NAVIGATE KNIFE SPREADS

TOP OF THE PAGE

KNIFE DESIGNER

KNIFE/FAMILY NAME

940, 940-1 & 943

OSBORNE DESIGN • U.S.A.



KNIFE USAGE

KNIFE FEATURES



Highly regarded as one of the most quintessential EDCs of all time.

MECHANISM AXIS® lock

BLADE STYLE 940 & 940-1: Reverse tanto; 943: Clip-point

BLADE STEEL 940-1: CPM-S90V super premium stainless steel (59-61HRC); 940 & 943: CPM-S30V premium stainless steel (58-60HRC)

HANDLE 940: Green anodized, 6061-T6 billet aluminum; 940-1: Carbon fiber with stainless steel liners; 943: Black anodized 6061-T6 billet aluminum

KNIFE DESCRIPTION

BOTTOM OF THE PAGE



943SBK — BLADE VARIATIONS

	940/943	940-1
BLADE LENGTH	3.40" [8.64cm]	3.40" [8.64cm]
BLADE THICKNESS	0.115" [2.92mm]	0.115" [2.92mm]
OPEN	7.87" [19.99cm]	7.87" [19.99cm]
CLOSED	4.47" [11.35cm]	4.47" [11.35cm]
WEIGHT	2.90oz [82.21g]	2.44oz [69.17g]
HANDLE THICKNESS	0.41" [10.41mm]	0.44" [11.18mm]

CONFIGURATIONS/MSRP

940		\$215
940S	SERR	\$215
940BK	BLACK	\$230
940SBK	SERR BLACK	\$230
940-1		\$315
940S-1	SERR	\$315
943		\$215
943S	SERR	\$215
943BK	BLACK	\$230
943SBK	SERR BLACK	\$230

SERRATIONS

BLACK COATING

NEW PRODUCTS

GOLD CLASS PAGES 6-7



908-161
P.7

HUNT. PAGES 40-47



15100
P.45



15080
P.46

BLUE CLASS PAGES 8-39



490
P.9



580-2
P.11



585-2
P.11



698
P.16



765
P.17



928
P.28



551-1
P.32



556-1
P.32



550-1
P.33



555-1
P.33

BLACK CLASS PAGES 48-80



3321
P.50



9501
P.56



2551
P.59



3551
P.59



4300-1
P.60



320
P.66



119
P.73



167
P.75



169
P.75



179
P.77

GOLD CLASS

BLUE CLASS PAGES 8-39



908-161
P.7



490
P.9



580
P.10



583
P.10



585
P.10



580-2
P.11



585-2
P.11



581
P.12



586
P.12



1000001
P.13



477
P.14



477-1
P.14



470-1
P.14



665
P.15



698
P.16



761
P.17



765
P.17



484
P.18



484-1
P.18



485
P.19



482
P.19



940
P.20



940-1
P.20



943
P.20



530
P.21



531
P.21



710
P.22



707
P.23



757
P.24



162
P.25



162-1
P.25



928
P.28



300
P.29



300SN
P.29



551
P.30



556
P.30



550
P.31



555
P.31



553
P.31



557
P.31



551-1
P.32



556-1
P.32



550-1
P.33



555-1
P.33



551H20
P.34



112H20
P.34



746
P.36



890
P.37



153
P.35



154
P.35



62
P.38



63
P.38



67
P.38



51
P.39



32
P.39

HUNT. PAGES 40-47



- ⊕ 15060 P.41
- ⊕ 15001 P.42
- ⊕ 15003 P.42
- ⊕ 15007 P.43
- ⊕ 15016 P.43
- ⊕ 15008 P.44
- ⊕ 15009 P.44
- ⊕ 15100 P.45
- ⊕ 15080 P.46
- ⊕ 15031 P.46
- ⊕ 15051 P.47
- ⊕ 15056 P.47

BLACK CLASS PAGES 48-80



- ⊕ 3300 P.49
- ⊕ 3320 P.50
- ⊕ 3321 P.50
- ⊕ 6800 P.51
- ⊕ 5400 P.52
- ⊕ 808 P.53
- ⊕ 275 P.54
- ⊕ 2750 P.54
- ⊕ 175 P.54
- ⊕ 375 P.55
- ⊕ 9101 P.56
- ⊕ 9501 P.56
- ⊕ 903 P.57




- ⊕ 904 P.57
- ⊕ 908 P.57
- ⊕ 909 P.57
- ⊕ 9051 P.58
- ⊕ 9052 P.58
- ⊕ 2551 P.59
- ⊕ 3551 P.59
- ⊕ 4300 P.60
- ⊕ 4300-1 P.60
- ⊕ 3150 P.61
- ⊕ 9160 P.62
- ⊕ 9170 P.62



- ⊕ 915 P.63
- ⊕ 916 P.63
- ⊕ 320 P.66
- ⊕ 950 P.67
- ⊕ 9555 P.67
- ⊕ 810 P.68
- ⊕ 183 P.69
- ⊕ 520 P.70
- ⊕ 5000 P.70
- ⊕ 5300 P.70
- ⊕ 5500 P.70



- ⊕ 522 P.71
- ⊕ 527 P.71
- ⊕ 5270 P.71
- ⊕ 860 P.72
- ⊕ 8600 P.72
- ⊕ 119 P.73
- ⊕ 140 P.74
- ⊕ 141 P.74
- ⊕ 167 P.75
- ⊕ 169 P.75
- ⊕ 176 P.76
- ⊕ 178 P.76
- ⊕ 179 P.77



- ⊕ 8 P.78
- ⊕ 8 MED P.78
- ⊕ 7 P.79
- ⊕ 5 P.79
- ⊕ 9 CB P.80
- ⊕ 30210/30200 P.80
- ⊕ 1100 P.81

RESCUE HOOKS PAGES 64-66

PENS

GOLD CLASS

— PAGES 6-7 —

Erase the line between custom and manufactured. It's where existing lines reach perfection, and one-of-a-kind tools are crafted for the collector's wish list. The Gold Class represents a new standard in knifemaking.



BLUE CLASS

— PAGES 8-39 —

The heart of Benchmade. Whether it's folders or fixed blades, the Blue Class knife is designed and built for the individual who understands the difference a high-quality instrument can make.



HUNT.™



— PAGES 40-47 —

Research projects, R&D lab tests, and many miles of field research provided the basis for Benchmade HUNT. Built from advanced materials usually reserved for spaceships and surgical equipment, these technologically advanced hunting knives provide refined performance and rugged durability.



BLACK CLASS

— PAGES 48-80 —

Used by professionals when quality tools can mean the difference between life and death. From law enforcement and public safety to elite military troops, our obligation is still the same: The best equipment for the job. Imagine what they can do for you.



GOLD CLASS

For the serious collector. Bridging the gap between
precision manufacturing and custom knife making.



908-161 **AXIS**® **STRYKER**® **NEW**

BENCHMADE DESIGN • U.S.A.

A masterpiece from Benchmade; the Stryker® is taken to a new level with red carbon fiber, anodized red hardware accents and an Odin Heim™ pattern Damasteel® blade.

MECHANISM AXIS® lock

BLADE STYLE Drop-point

BLADE STEEL Odin Heim™ pattern Damasteel® (58-60HRC)

HANDLE Red and black carbon fiber with black oxide stainless steel liners

EXTRA Red anodized aluminum pivot ring and barrel spacers, reversible tip-up deep-carry pocket clip



908-161

BLADE LENGTH	3.57" (9.07cm)
BLADE THICKNESS	0.124" (3.15mm)
OPEN	8.29" (21.06cm)
CLOSED	4.72" (11.99cm)
WEIGHT	4.76oz (134.94g)
HANDLE THICKNESS	0.55" (13.97mm)

CONFIGURATION/MSRP

908-161

\$600

BLUE CLASS

Exceptional form meets precise function.
The heart and soul of Benchmade.



490 AMICUS **NEW**

BENCHMADE DESIGN • U.S.A.



The speed and function of AXIS® Assist, the convenience of a flipper.

MECHANISM AXIS® Assist flipper with integrated safety

BLADE STYLE Drop-point

BLADE STEEL CPM-S90V super premium stainless steel (59-61HRC)

HANDLE Black anodized 7075-T6 aluminum

EXTRA Reversible tip-up deep-carry pocket clip



490

BLADE LENGTH	3.25" (8.26cm)
BLADE THICKNESS	0.090" (2.29mm)
OPEN	7.77" (19.74cm)
CLOSED	4.52" (11.48cm)
WEIGHT	2.88oz (81.65g)
HANDLE THICKNESS	0.48" (12.19mm)

CONFIGURATIONS/MSRP

490		\$250
490S	SERR	\$250

580/583/585 BARRAGE®

OSBORNE DESIGN • U.S.A.



580/585  

583  

Quick, one-handed opening for righties or lefties.

MECHANISM AXIS® Assist with integrated safety

BLADE STYLE 580 & 585: Drop-point; 583: Tanto

BLADE STEEL 154CM stainless steel (58-61HRC)

HANDLE Black Valox® with stainless steel liners

EXTRA Reversible tip-up pocket clip



580

583SBK



585
Mini

CONFIGURATIONS/MSRP

580		\$150
580S	SERR	\$150
580BK	BLACK	\$165
580SBK	SERR BLACK	\$165
583		\$150
583S	SERR	\$150
583BK	BLACK	\$165
583SBK	SERR BLACK	\$165
585		\$140
585S	SERR	\$140
585BK	BLACK	\$155
585SBK	SERR BLACK	\$155

	580	583	585
BLADE LENGTH	3.60" (9.14cm)	3.60" (9.14cm)	2.91" (7.39cm)
BLADE THICKNESS	0.121" (3.07mm)	0.121" (3.07mm)	0.100" (2.54mm)
OPEN	8.35" (21.21cm)	8.35" (21.21cm)	6.91" (17.55cm)
CLOSED	4.75" (12.07cm)	4.75" (12.07cm)	4.00" (10.16cm)
WEIGHT	4.31oz (122.19g)	4.51oz (127.86g)	3.40oz (96.39g)
HANDLE THICKNESS	0.65" (16.51mm)	0.65" (16.51mm)	0.57" (14.48mm)

580-2/585-2 **G10 BARRAGE®** **NEW**
 OSBORNE DESIGN • U.S.A.



580-2/585-2  

Gray G10 and upgraded blade steel offer enhanced performance.

MECHANISM AXIS® Assist with integrated safety

BLADE STYLE Drop-point

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE Gray textured G10 with stainless steel liners

EXTRA Black oxide metal backspacer, single barrel spacer and reversible tip-up pocket clip



580SBK-2

585-2
Mini

	580-2	585-2
BLADE LENGTH	3.60" (9.14cm)	2.91" (7.39cm)
BLADE THICKNESS	0.121" (3.07mm)	0.100" (2.54mm)
OPEN	8.35" (21.21cm)	6.91" (17.55cm)
CLOSED	4.75" (12.07cm)	4.00" (10.16cm)
WEIGHT	4.94oz (140.05g)	3.76oz (106.59g)
HANDLE THICKNESS	0.62" (15.75mm)	0.57" (14.48mm)

CONFIGURATIONS/MSRP

580-2		\$190
580S-2	SERR	\$190
580BK-2	BLACK	\$205
580SBK-2	SERR BLACK	\$205
585-2		\$180
585S-2	SERR	\$180
585BK-2	BLACK	\$195
585SBK-2	SERR BLACK	\$195

581/586 BARRAGE®

OSBORNE DESIGN • U.S.A.



581/586 

The dressed up handle and enhanced steel offers premium performance.

MECHANISM AXIS® Assist with integrated safety

BLADE STYLE Drop-point

BLADE STEEL M390 super premium stainless-steel (58-61HRC)

HANDLE Black G10 with aluminum bolsters and stainless steel liners

EXTRA Reversible tip-up pocket clip



581

586
Mini

	581	586
BLADE LENGTH	3.60" (9.14cm)	2.91" (7.39cm)
BLADE THICKNESS	0.121" (3.07mm)	0.100" (2.54mm)
OPEN	8.35" (21.21cm)	6.91" (17.55cm)
CLOSED	4.75" (12.07cm)	4.00" (10.16cm)
WEIGHT	5.20oz (147.42g)	3.87oz (109.71g)
HANDLE THICKNESS	0.65" (16.51mm)	0.57" (14.48mm)

CONFIGURATIONS/MSRP

581		\$230
581S	SERR	\$230
581BK	BLACK	\$245
581SBK	SERR BLACK	\$245
586		\$220
586SBK	SERR BLACK	\$235

1000001 **VOLLI**[®]
BENCHMADE DESIGN • U.S.A.



Utilizes the same **AXIS**[®] Assist as the **Barrage**[®] series but with a broader blade and a slimmer handle with **G10** scales.

MECHANISM **AXIS**[®] Assist with integrated safety

BLADE STYLE Drop-point

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE Black contoured and textured **G10** with stainless steel liners

EXTRA Reversible tip-up pocket clip



1000001

1000001

BLADE LENGTH	3.26" (8.28cm)
BLADE THICKNESS	0.100" (2.54mm)
OPEN	7.68" (19.51cm)
CLOSED	4.42" (11.23cm)
WEIGHT	4.28oz (121.34g)
HANDLE THICKNESS	0.56" (14.22mm)

CONFIGURATIONS/MSRP

1000001		\$175
1000001S	SERR	\$175
1000001BK	BLACK	\$190
1000001SBK	SERR BLACK	\$190

EMISSARY® FAMILY

OSBORNE DESIGN • U.S.A.



477 / 470-1

477  

470-1 

Strong, versatile and good looking.

MECHANISM AXIS® Assist
with integrated safety

BLADE STYLE Drop-point

BLADE STEEL CPM-S30V premium
stainless steel (58-60HRC)

HANDLE 477: Black anodized,
6061-T6 billet aluminum;
477-1: Aqua anodized,
6061-T6 billet aluminum;
470-1: Black anodized,
7075-T6 billet aluminum

EXTRA Reversible tip-up
deep-carry pocket clip



477S

477-1



470-1
Mini

	477/477-1	470-1
BLADE LENGTH	3.45" (8.76cm)	3.00" (7.62cm)
BLADE THICKNESS	0.100" (2.54mm)	0.090" (2.89mm)
OPEN	8.00" (20.32cm)	6.90" (17.53cm)
CLOSED	4.55" (11.56cm)	3.90" (9.91cm)
WEIGHT	3.95oz (111.98g)	2.20oz (62.37g)
HANDLE THICKNESS	0.52" (13.21mm)	0.45" (11.43mm)

CONFIGURATION/MSRP

470-1		\$210
477		\$225
477S	SERR	\$225
477-1		\$225
477S-1	SERR	\$225

665 APB ASSIST

BENCHMADE DESIGN • U.S.A.



The first ambidextrous assisted push-button ever brings versatility and innovation to a new level.

MECHANISM Ambidextrous push-button assist with integrated safety

BLADE STYLE Drop-point

BLADE STEEL 154CM stainless steel (58-61HRC)

HANDLE Blue and black contoured G10 with stainless steel liners

EXTRA Reversible tip-up deep-carry pocket clip



665

665

BLADE LENGTH	3.60" (9.14cm)
BLADE THICKNESS	0.124" (3.15mm)
OPEN	8.41" (21.36cm)
CLOSED	4.81" (12.22cm)
WEIGHT	5.46oz (154.79g)
HANDLE THICKNESS	0.59" (14.99mm)

CONFIGURATIONS/MSRP

665		\$210
665S	SERR	\$210
665BK	BLACK	\$225
665SBK	SERR BLACK	\$225

698 FORAY™ **NEW**

BENCHMADE DESIGN • U.S.A.



The Foray™ offers gent-styling in a larger overall profile, translating to improved handling and all-around utility.

MECHANISM AXIS® lock

BLADE STYLE Drop-point

BLADE STEEL CPM-20CV premium stainless steel (59-61HRC)

HANDLE Black contoured G10 with stainless steel liners

EXTRA Reversible tip-up deep-carry pocket clip



698

698

BLADE LENGTH	3.22" (8.18cm)
BLADE THICKNESS	0.137" (3.48mm)
OPEN	7.34" (18.64cm)
CLOSED	4.15" (10.54cm)
WEIGHT	3.58oz (101.49g)
HANDLE THICKNESS	0.56" (14.22mm)

CONFIGURATIONS/MSRP

698	\$225
698S SERR	\$225

761 Ti MONOLOCK

765 MINI-Ti MONOLOCK **NEW**

BENCHMADE DESIGN • U.S.A.

761/765 

Thrust bearing washers provide super smooth action in our flagship Ti folder.

MECHANISM Monolock

BLADE STYLE Drop-point

BLADE STEEL M390 super premium stainless steel (58-61HRC)

HANDLE Machined and sand-blasted titanium

EXTRA 761: Tip-down titanium pocket clip with thrust bearing washers; 765: Tip-up or tip-down titanium pocket clip with thrust bearing washers



761

765S
Mini

	761	765
BLADE LENGTH	3.73" (9.47cm)	3.24" (8.23cm)
BLADE THICKNESS	0.120" (3.05mm)	0.115" (2.92mm)
OPEN	8.60" (21.84cm)	7.46" (18.95cm)
CLOSED	4.87" (12.37cm)	4.22" (10.72cm)
WEIGHT	4.36oz (123.60g)	3.16oz (89.58g)
HANDLE THICKNESS	0.42" (10.67mm)	0.41" (10.41mm)

CONFIGURATIONS/MSRP

761		\$390
761S	SERR	\$390
765		\$355
765S	SERR	\$355

NAKAMURA AXIS® FAMILY

NAKAMURA DESIGN • U.S.A.



484/484-1



Brings together the best of both worlds: detailed design and functional strength.

MECHANISM AXIS® lock

BLADE STYLE Drop-point

BLADE STEEL 484: M390 super premium stainless steel (58-61HRC); 484-1: CPM-S90V super premium stainless steel (59-61HRC)

HANDLE 484: Black contoured G10 with stainless steel liners; 484-1: Contoured carbon fiber with stainless steel liners

EXTRA 484: Stainless steel pivot bushing and barrel spacers and reversible tip-up pocket clip; 484-1: Blue anodized aluminum pivot bushing and barrel spacers with reversible tip-up pocket clip



484



484-1

	484	484-1
BLADE LENGTH	3.08" (7.82cm)	3.08" (7.82cm)
BLADE THICKNESS	0.114" (2.90mm)	0.114" (2.90mm)
OPEN	7.03" (17.86cm)	7.03" (17.86cm)
CLOSED	3.95" (10.03cm)	3.95" (10.03cm)
WEIGHT	3.52oz (99.79g)	3.28oz (92.99g)
HANDLE THICKNESS	0.57" (14.48mm)	0.57" (14.48mm)

CONFIGURATIONS/MSRP

484		\$225
484S	SERR	\$225
484-1		\$315
484S-1	SERR	\$315

485 VALET

BENCHMADE DESIGN • U.S.A.



A stylish, comfortable **AXIS®** gent knife.

MECHANISM AXIS® lock

BLADE STYLE Drop-point

BLADE STEEL M390 super premium stainless steel (58-61HRC)

HANDLE Gray contoured G10 with stainless steel liners

EXTRA Machined G10 backspacer and reversible tip-up deep-carry pocket clip



485

485

BLADE LENGTH	2.96" (7.52cm)
BLADE THICKNESS	0.100" (2.54mm)
OPEN	6.69" (16.99cm)
CLOSED	3.73" (9.47cm)
WEIGHT	2.18oz (61.80g)
HANDLE THICKNESS	0.45" (11.43mm)

CONFIGURATIONS/MSRP

485	\$200
485S SERR	\$200

482 MEGUMI®

NAKAMURA DESIGN • U.S.A.



Another beautiful gent knife from **Seiichi Nakamura**.

MECHANISM Nak-Lok®

BLADE STYLE Drop-point

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE Cocobolo and carbon fiber with stainless steel liners

EXTRA Stainless steel backspacer and lanyard hole



482

482

BLADE LENGTH	2.48" (6.30cm)
BLADE THICKNESS	0.104" (2.64mm)
OPEN	5.76" (14.63cm)
CLOSED	3.28" (8.33cm)
WEIGHT	1.85oz (52.45g)
HANDLE THICKNESS	0.46" (11.68mm)

CONFIGURATION/MSRP

482	\$235
-----	-------

940, 940-1 & 943

OSBORNE DESIGN • U.S.A.



940/940-1/943  

Highly regarded as one of the most quintessential EDCs of all time.

MECHANISM AXIS® lock

BLADE STYLE 940 & 940-1: Reverse tanto; 943: Clip-point

BLADE STEEL 940-1: CPM-S90V super premium stainless steel (59-61HRC); 940 & 943: CPM-S30V premium stainless steel (58-60HRC)

HANDLE 940: Green anodized 6061-T6 billet aluminum; 940-1: Carbon fiber with stainless steel liners; 943: Black anodized 6061-T6 billet aluminum

EXTRA 940: Purple anodized titanium backspacer and reversible tip-up pocket clip; 940-1: Blue anodized barrel spacers and reversible tip-up pocket clip; 943: Blue anodized titanium backspacer and reversible tip-up pocket clip



940BK

940-1



943SBK

	940/943	940-1
BLADE LENGTH	3.40" (8.64cm)	3.40" (8.64cm)
BLADE THICKNESS	0.115" (2.92mm)	0.115" (2.92mm)
OPEN	7.87" (19.99cm)	7.87" (19.99cm)
CLOSED	4.47" (11.35cm)	4.47" (11.35cm)
WEIGHT	2.90oz (82.21g)	2.44oz (69.17g)
HANDLE THICKNESS	0.41" (10.41mm)	0.44" (11.18mm)

CONFIGURATIONS/MSRP

940		\$215
940S	SERR	\$215
940BK	BLACK	\$230
940SBK	SERR BLACK	\$230
940-1		\$315
940S-1	SERR	\$315
943		\$215
943S	SERR	\$215
943BK	BLACK	\$230
943SBK	SERR BLACK	\$230

530 & 531
 PARDUE DESIGN • U.S.A.



530/531  

The ultimate lightweight carry.

MECHANISM AXIS® lock

BLADE STYLE 530: Spear-point;
 531: Drop-point

BLADE STEEL 154CM stainless steel (58-61HRC)

HANDLE 530: Black Grivory®; 531: Gray and black textured G10

EXTRA Reversible tip-up pocket clip



530



531

530

531

BLADE LENGTH	3.25" (8.26cm)	3.25" (8.26cm)
BLADE THICKNESS	0.090" (2.29mm)	0.090" (2.29mm)
OPEN	7.42" (18.85cm)	7.42" (18.85cm)
CLOSED	4.17" (10.59cm)	4.17" (10.59cm)
WEIGHT	1.88oz (53.30g)	2.10oz (59.53g)
HANDLE THICKNESS	0.37" (9.40mm)	0.37" (9.40mm)

CONFIGURATIONS/MSRP

530		\$115
530S	SERR	\$115
530BK	BLACK	\$130
530SBK	SERR BLACK	\$130
531		\$155
531S	SERR	\$155
531BK	BLACK	\$170
531SBK	SERR BLACK	\$170

710

MCHENRY & WILLIAMS DESIGN • U.S.A.



The first folder to ever feature the AXIS® lock.

MECHANISM AXIS® lock

BLADE STYLE Drop-point

BLADE STEEL D2 tool steel (60-62HRC)

HANDLE Black textured G10 with stainless steel liners

EXTRA Reversible tip-up pocket clip



710

710

BLADE LENGTH	3.90" (9.91cm)
BLADE THICKNESS	0.115" (2.92mm)
OPEN	8.80" (22.35cm)
CLOSED	4.90" (12.45cm)
WEIGHT	4.50oz (127.57g)
HANDLE THICKNESS	0.48" (12.19mm)

CONFIGURATIONS/MSRP

710D2	\$180
710SBKD2 SERR BLACK	\$195

707 SEQUEL[®]

MCHENRY & WILLIAMS DESIGN • U.S.A.



G10 inlays provide a secure grip in any situation.

MECHANISM AXIS[®] lock

BLADE STYLE Drop-point

BLADE STEEL 154CM stainless steel (58-61HRC)

HANDLE Black anodized, 6061-T6 billet aluminum with textured G10 inlays and stainless steel liners

EXTRA Reversible tip-up pocket clip



707

707

BLADE LENGTH	2.95" (7.49cm)
BLADE THICKNESS	0.100" (2.54mm)
OPEN	6.75" (17.15cm)
CLOSED	3.80" (9.65cm)
WEIGHT	2.60oz (73.71g)
HANDLE THICKNESS	0.42" (10.67mm)

CONFIGURATIONS/MSRP

707		\$165
707S	SERR	\$165
707BK	BLACK	\$180
707SBK	SERR BLACK	\$180

757 VICAR®

SIBERT DESIGN • U.S.A.



Thick titanium liners and CPM-S30V blade steel provide top-tier performance.

MECHANISM 0.090" thick titanium liner lock

BLADE STYLE Clip-point

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE Textured green and black stacked G10

EXTRA Machined black G10 backspacer and tip-up bronze anodized titanium pocket clip



757

757

BLADE LENGTH	3.86" (9.80cm)
BLADE THICKNESS	0.162" (4.11mm)
OPEN	8.86" (22.50cm)
CLOSED	5.00" (12.70cm)
WEIGHT	6.53oz (185.12g)
HANDLE THICKNESS	0.66" (16.76mm)

CONFIGURATIONS/MSRP

757		\$300
757S	SERR	\$300
757BK	BLACK	\$315
757SBK	SERR BLACK	\$315

162 BUSHCRAFTER & 162-1 BUSHCRAFTER EOD

SIBERT DESIGN • U.S.A.



Unsurpassed reliability for planned (or unplanned) adventures.

MECHANISM Fixed blade

BLADE STYLE Drop-point

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE 162: Hand-blended green and red, contoured G10;
162-1: Hand-blended sand, contoured G10

SHEATH 162: Full-grain leather with belt loop and D-ring;
162-1: Molded Kydex® with reversible belt loop

EXTRA Pressed titanium handle tubing



162-1: A survival knife designed with the world's foremost explosive ordnance technicians. Start a signal fire or cut some C4. It's your call.

162

162-1

162-1

162

Sheath included and also available separately, see page 88.

	162	162-1
BLADE LENGTH	4.40" (11.18cm)	4.40" (11.18cm)
BLADE THICKNESS	0.164" (4.17mm)	0.164" (4.17mm)
OVERALL LENGTH	9.15" (23.24cm)	9.15" (23.24cm)
WEIGHT	7.72oz (218.86g)	7.72oz (218.86g)
HANDLE THICKNESS	0.92" (23.37mm)	0.92" (23.37mm)
SHEATH WEIGHT	2.70oz (76.54g)	1.86oz (52.73g)

CONFIGURATIONS/MSRP	
162	\$215
162-1	\$215





162
BUSHCRAFTER

SURVIVAL

Mother nature is beautiful and frightening. That is what draws you to her; the chance to remind yourself how small you truly are. When she's your greatest adversary, a strong knife can be your greatest ally.



928 PROXY™ **NEW**

OSBORNE DESIGN • U.S.A.



The Proxy™ combines G10 and Ti for a highly modern look.

MECHANISM Monolock flipper

BLADE STYLE Drop-point

BLADE STEEL CPM-20CV premium stainless steel (59-61HRC)

HANDLE Desert tan contoured G10 and sand blasted titanium with thrust bearing washers and an adjustable lock face

EXTRA Reversible tip-up pocket clip



928

928

BLADE LENGTH	3.85" (9.78cm)
BLADE THICKNESS	0.150" (3.81mm)
OPEN	8.94" (22.71cm)
CLOSED	5.09" (12.93cm)
WEIGHT	4.86oz (137.78g)
HANDLE THICKNESS	0.50" (12.70mm)

CONFIGURATIONS/MSRP

928	\$295
928S SERR	\$295

AXIS® FLIPPER FAMILY

BUTCH BALL DESIGN • U.S.A.



300/300-1



The convenience of a flipper — the performance of an AXIS®.

MECHANISM AXIS® lock flipper

BLADE STYLE Drop-point

BLADE STEEL 154CM stainless steel (58-61HRC)

HANDLE 300SN: Brown and tan textured G10 with stainless steel liners; 300-1: Blue and black contoured and textured G10 with stainless steel liners

EXTRA Reversible tip-up deep-carry pocket clip



300SN

300-1

BLUE CLASS

	300SN	300-1
BLADE LENGTH	3.18" (8.08cm)	3.18" (8.08cm)
BLADE THICKNESS	0.130" (3.30mm)	0.130" (3.30mm)
OPEN	7.43" (18.87cm)	7.43" (18.87cm)
CLOSED	4.25" (10.80cm)	4.25" (10.80cm)
WEIGHT	4.85oz (137.50g)	4.68oz (132.68g)
HANDLE THICKNESS	0.59" (14.99mm)	0.59" (14.99mm)

CONFIGURATIONS/MSRP

300SN		\$180
300SSN	SERR	\$180
300-1		\$180
300S-1	SERR	\$180

GRIPTILIAN® FAMILY

PARDUE DESIGN • U.S.A.



More shapes, sizes, and color options than any other Benchmade family.

551 / 556 Griptilian®



MECHANISM AXIS® lock

BLADE STEEL 154CM stainless steel (58-61HRC)

BLADE STYLE Drop-point

HANDLE Glass-filled nylon with stainless steel liners

EXTRA Reversible tip-up pocket clip



551SBK

556S
Mini



551T

	551	556
BLADE LENGTH	3.45" (8.76cm)	2.91" (7.39cm)
BLADE THICKNESS	0.115" (2.92mm)	0.100" (2.54mm)
OPEN	8.07" (20.50cm)	6.78" (17.22cm)
CLOSED	4.62" (11.73cm)	3.87" (9.83cm)
WEIGHT	3.88oz (110.00g)	2.81oz (79.66g)
HANDLE THICKNESS	0.64" (16.26mm)	0.51" (12.95mm)

HELP SUPPORT BREAST CANCER RESEARCH

A portion of the profits from the sale of this knife is donated to the Oregon Health & Science University Knight Cancer Institute for breast health. Available in 555HG and 556 versions. **MSRP: \$105.**



555HG-PNK
Mini

556-PNK
Mini



Benchmade has been proud to support the OHSU Knight Cancer Institute for over 8 years.

CONFIGURATIONS/MSRP

551			\$115
551S	SERR		\$115
551BK		BLACK	\$130
551SBK	SERR	BLACK	\$130
551BKOD		BLACK	\$130
551SBKOD	SERR	BLACK	\$130
551BKSN		BLACK	\$130
551SBKSN	SERR	BLACK	\$130
551-ORG			\$115
551S-ORG	SERR		\$115
551BK-ORG		BLACK	\$130
551SBK-ORG	SERR	BLACK	\$130
551T (440C STEEL)		TRAINER	\$95
556			\$105
556S	SERR		\$105
556BK		BLACK	\$120
556SBK	SERR	BLACK	\$120
556BKOD		BLACK	\$120
556SBKOD	SERR	BLACK	\$120
556-YEL			\$105
556S-YEL	SERR		\$105
556-BLU			\$105
556S-BLU	SERR		\$105
556-PNK			\$105
556S-PNK	SERR		\$105

GRIPTILIAN® FAMILY

PARDUE DESIGN • U.S.A.



550HG / 555HG Griptilian®



BLADE STYLE Sheepsfoot, hollow grind



550HG

555SHG
Mini

	550	555
BLADE LENGTH	3.45" [8.76cm]	2.91" [7.39cm]
BLADE THICKNESS	0.115" [2.92mm]	0.100" [2.54mm]
OPEN	8.07" [20.50cm]	6.78" [17.22cm]
CLOSED	4.62" [11.73cm]	3.87" [9.83cm]
WEIGHT	3.79oz [107.44g]	2.68oz [75.98g]
HANDLE THICKNESS	0.64" [16.26mm]	0.51" [12.95mm]


CONFIGURATIONS/MSRP

550HG		\$115
550SHG	SERR	\$115
550BKHG	BLACK	\$130
550SBKHG	SERR BLACK	\$130
550BKHGOD	BLACK	\$130
550SBKHGOD	SERR BLACK	\$130
550BKHGSN	BLACK	\$130
550SBKHGSN	SERR BLACK	\$130
555HG		\$105
555SHG	SERR	\$105
555BKHG	BLACK	\$120
555SBKHG	SERR BLACK	\$120
555BKHGOD	BLACK	\$120
555SBKHGOD	SERR BLACK	\$120
555BKHGSN	BLACK	\$120
555HG-YEL		\$105
555HG-BLU		\$105
555HG-PNK		\$105

553 / 557 Griptilian®



BLADE STYLE Tanto



553SBK

557
Mini

	553	557
BLADE LENGTH	3.45" [8.76cm]	2.91" [7.39cm]
BLADE THICKNESS	0.115" [2.92mm]	0.100" [2.54mm]
OPEN	8.07" [20.50cm]	6.78" [17.22cm]
CLOSED	4.62" [11.73cm]	3.87" [9.83cm]
WEIGHT	3.89oz [110.28g]	2.79oz [79.10g]
HANDLE THICKNESS	0.64" [16.26mm]	0.51" [12.95mm]

CONFIGURATIONS/MSRP

553		\$115
553S	SERR	\$115
553BK	BLACK	\$130
553SBK	SERR BLACK	\$130
553SBKOD	SERR BLACK	\$130
553SBKSN	SERR BLACK	\$130
557		\$105
557S	SERR	\$105
557BK	BLACK	\$120
557SBK	SERR BLACK	\$120
557BKOD	BLACK	\$120
557SBKOD	SERR BLACK	\$120
557BKSN	BLACK	\$120
557SBKSN	SERR BLACK	\$120

G10 **GRIPILIAN®** NEW

PARDUE DESIGN • U.S.A.



551-1/556-1  

The Griptilian® in G10 with upgraded blade steel.

MECHANISM AXIS® lock

BLADE STYLE Drop-point

BLADE STEEL CPM-20CV premium stainless steel (59-61HRC)

HANDLE Gray and blue layered G10

EXTRA Blue aluminum barrel spacers and reversible tip-up pocket clip



551-1

556S-1
Mini

	551-1	556-1
BLADE LENGTH	3.45" (8.76cm)	2.91" (7.39cm)
BLADE THICKNESS	0.115" (2.92mm)	0.100" (2.54mm)
OPEN	8.07" (20.50cm)	6.78" (17.22cm)
CLOSED	4.62" (11.73cm)	3.87" (9.83cm)
WEIGHT	4.17oz (118.22g)	2.90oz (82.21g)
HANDLE THICKNESS	0.61" (15.49mm)	0.55" (13.97mm)

CONFIGURATIONS/MSRP

551-1		\$210
551S-1	SERR	\$210
551BK-1	BLACK	\$225
551SBK-1	SERR BLACK	\$225
556-1		\$195
556S-1	SERR	\$195
556BK-1	BLACK	\$210
556SBK-1	SERR BLACK	\$210

G10 GRIPTILIAN® NEW

PARDUE DESIGN • U.S.A.



550-1/555-1  

The Griptilian® in G10 with upgraded blade steel.

MECHANISM AXIS® lock

BLADE STYLE Sheepfoot

BLADE STEEL CPM-20CV premium stainless steel (59-61HRC)

HANDLE Gray and blue layered G10

EXTRA Blue aluminum barrel spacers and reversible tip-up pocket clip



550S-1

555-1
Mini

	550-1	555-1
BLADE LENGTH	3.45" [8.76cm]	2.91" [7.39cm]
BLADE THICKNESS	0.115" [2.92mm]	0.100" [2.54mm]
OPEN	8.07" [20.50cm]	6.78" [17.22cm]
CLOSED	4.62" [11.73cm]	3.87" [9.83cm]
WEIGHT	4.13oz [117.08g]	2.88oz [81.65g]
HANDLE THICKNESS	0.61" [15.49mm]	0.55" [13.97mm]

CONFIGURATIONS/MSRP

550-1		\$210
550S-1	SERR	\$210
550BK-1	BLACK	\$225
550SBK-1	SERR BLACK	\$225
555-1		\$195
555S-1	SERR	\$195
555BK-1	BLACK	\$210
555SBK-1	SERR BLACK	\$210

551H20 GRIPTILIAN®

PARDUE DESIGN • U.S.A.



Designed specifically for marine environments.

MECHANISM AXIS® lock

BLADE STEEL N680 ultra stainless steel (57-59HRC)

HANDLE Safety orange Grivory® with stainless steel liners

EXTRA Full satin hardware and reversible tip-up pocket clip



551H20

551 H20

BLADE LENGTH	3.45" (8.76cm)
BLADE THICKNESS	0.115" (2.92mm)
OPEN	8.07" (20.50cm)
CLOSED	4.62" (11.73cm)
WEIGHT	3.88oz (110.00g)
HANDLE THICKNESS	0.64" (16.26mm)

CONFIGURATIONS/MSRP

551H20		\$135
551SH20	SERR	\$135

112 H20 FIXED

BENCHMADE DESIGN • U.S.A.



This dive knife was originally developed for an elite military program.

MECHANISM Fixed blade

BLADE STYLE Opposing bevel with blunt tip and integrated rescue hook

BLADE STEEL N680 ultra stainless steel (57-59HRC)

HANDLE 112S-YEL: High-vis yellow textured Santoprene®; 112S-BLK: Black textured Santoprene®

SHEATH Molded thermoplastic with thumb release



112S-BLK

112S-YEL

Sheath included

112

BLADE LENGTH	3.50" (8.90cm)
BLADE THICKNESS	0.124" (3.15mm)
OVERALL LENGTH	8.07" (20.50cm)
WEIGHT	3.20oz (90.72g)
HANDLE THICKNESS	0.59" (14.99mm)
SHEATH WEIGHT	1.04oz (29.48g)

CONFIGURATIONS/MSRP

112S-BLK	SERR	\$120
112S-YEL	SERR	\$120

153 JUNGLE BOLO & 154 JUNGLE CLIP-POINT

BENCHMADE DESIGN • U.S.A.



153/154   

Designed for brush clearing
in jungle warfare situations.

MECHANISM Fixed blade

BLADE STYLE 153: Bolo;
154: Clip-point

BLADE STEEL 1095 spring
steel (57-59HRC)

HANDLE Orange textured Santoprene®

SHEATH Leather with belt loop

153BK

154BK

153BK

154BK

Sheath included

	153	154
BLADE LENGTH	9.69" [24.61cm]	9.69" [24.61cm]
BLADE THICKNESS	0.195" [4.95mm]	0.195" [4.95mm]
OVERALL LENGTH	14.29" [36.30cm]	14.29" [36.30cm]
WEIGHT	11.82oz [335.09g]	10.90oz [309.01g]
HANDLE THICKNESS	0.89" [22.61mm]	0.89" [22.61mm]
SHEATH WEIGHT	3.47oz [98.37g]	3.50oz [99.22g]

CONFIGURATIONS/MSRP

153BK	\$125
154BK	\$125

746 MINI-ONSLAUGHT®

LUM DESIGN • U.S.A.



The curved handle provides fantastic ergonomics.

MECHANISM AXIS® lock

BLADE STYLE Clip-point

BLADE STEEL 154CM stainless steel (58-61HRC)

HANDLE Black contoured G10 with stainless steel liners

EXTRA Tip-up pocket clip



746

746

BLADE LENGTH	3.45" (8.76cm)
BLADE THICKNESS	0.114" (2.90mm)
OPEN	7.88" (20.02cm)
CLOSED	4.43" (11.25cm)
WEIGHT	3.90oz (110.56g)
HANDLE THICKNESS	0.63" (16.00mm)

CONFIGURATIONS/MSRP

746	\$170
746BK	BLACK \$185

890 TORRENT®

STEIGERWALT DESIGN • U.S.A.



Featuring a reliable, patented assist mechanism known as Nitrous®.

MECHANISM Liner lock with Nitrous® Assist

BLADE STYLE Drop-point

BLADE STEEL 154CM stainless steel (58-61HRC)

HANDLE Black contoured G10 with titanium liners

EXTRA Stainless steel backspacer and tip-down deep-carry pocket clip



890

890

BLADE LENGTH	3.60" (9.14cm)
BLADE THICKNESS	0.100" (2.54mm)
OPEN	8.20" (20.83cm)
CLOSED	4.60" (11.68cm)
WEIGHT	3.50oz (99.22g)
HANDLE THICKNESS	0.60" (15.24mm)

CONFIGURATIONS/MSRP

890		\$175
890S	SERR	\$175
890BK	BLACK	\$190
890SBK	SERR BLACK	\$190

62/63/67 BALI-SONG®

BENCHMADE DESIGN • U.S.A.



62/63/67

Based on the classic bali—with
crafted stainless steel handles.

MECHANISM Bali-Song® with T-latch

BLADE STYLE 62: Weehawk;
63: Bowie; 67: Tanto

BLADE STEEL D2 tool steel
(60-62HRC)

HANDLE Hand finished,
machined stainless steel

SHEATH Nylon



62



63



67



Sheath included



62T

	62	63	67
BLADE LENGTH	4.25" (10.80cm)	4.25" (10.80cm)	4.25" (10.80cm)
BLADE THICKNESS	0.125" (3.18mm)	0.125" (3.18mm)	0.125" (3.18mm)
OPEN	9.20" (23.37cm)	9.20" (23.37cm)	9.20" (23.37cm)
CLOSED	5.27" (13.39cm)	5.27" (13.39cm)	5.27" (13.39cm)
WEIGHT	6.33oz (179.45g)	6.37oz (180.59g)	6.39oz (181.15g)
HANDLE THICKNESS	0.48" (12.19mm)	0.48" (12.19mm)	0.48" (12.19mm)

CONFIGURATIONS/MSRP

62	\$355
67	\$355
63	\$355
62T	TRAINER \$280

51 MORPHO® & 32 MINI-MORPHO®

BENCHMADE DESIGN • U.S.A.



51/32 

A lightweight bali that brings modern style to a classic.

MECHANISM Bali-Song® with Nitrous® latch-lock

BLADE STYLE Drop-point

BLADE STEEL D2 tool steel (60-62HRC)

HANDLE Black skeletonized G10 with blue anodized, jeweled titanium liners

EXTRA Blue anodized titanium pocket clip



51

32

	32	51
BLADE LENGTH	3.25" [8.26cm]	4.25" [10.80cm]
BLADE THICKNESS	0.100" [2.54mm]	0.100" [2.54mm]
OPEN	7.35" [18.67cm]	9.35" [23.75cm]
CLOSED	4.39" [11.15cm]	5.40" [13.72cm]
WEIGHT	2.70oz [76.54g]	3.30oz [93.55g]
HANDLE THICKNESS	0.44" [11.18mm]	0.47" [11.94mm]

CONFIGURATIONS/MSRP

32	\$255
51	\$275
51BK	BLACK \$290



HUNT.™

The most advanced hunting knives. Ever.
Because good isn't good enough.



15060

GRIZZLY CREEK

BENCHMADE DESIGN • U.S.A.



The total package for a hunting folder with the **AXIS**® lock, the perfect blade size and shape, and a folding gut hook that's there when you need it.

MECHANISM **AXIS**® lock with folding gut hook

BLADE STYLE Drop-point

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE Stabilized wood

EXTRA Tip-up pocket clip



15060

BLADE LENGTH	3.50" (8.89cm)
BLADE THICKNESS	0.124" (3.15mm)
OPEN	7.84" (19.91cm)
CLOSED	4.34" (11.02cm)
WEIGHT	4.76oz (134.94g)
HANDLE THICKNESS	0.56" (14.22mm)

CONFIGURATION/MSRP

15060-2	Wood	\$195
---------	------	-------

15001 SADDLE MOUNTAIN SKINNER

15003 SADDLE MOUNTAIN SKINNER W/HOOK



BENCHMADE DESIGN • U.S.A.

15001/15003

"With the Saddle Mountain Skinner I feel like I can breakdown game or fight off a bear."

-Benchmade Pro, Nate Simmons

MECHANISM Fixed blade

BLADE STYLE 15001: Skinner;
15003: Skinner with hook

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE 15001-1 and 15003-1: Gray and black contoured and textured G10;
15001-2 and 15003-2: Contoured stabilized wood

SHEATH 15001-1 and 15003-1: Molded Kydex® with reversible belt loop;
15001-2 and 15003-2: Pressure fit, rich leather with integrated guard



15003-2

15001-1



15001-1
15003-1

15001-2
15003-2

Sheath included

	15003	15001
BLADE LENGTH	4.17" [10.59cm]	4.17" [10.59cm]
BLADE THICKNESS	0.140" [3.56mm]	0.140" [3.56mm]
OVERALL LENGTH	8.73" [22.17cm]	8.73" [22.17cm]
WEIGHT	5.18oz [146.85g] G10 4.70oz [133.24g] Wood	5.13oz [145.43g] G10 4.65oz [131.83g] Wood
HANDLE THICKNESS	0.58" [14.73mm]	0.58" [14.73mm]
SHEATH WEIGHT	1.85oz [52.45g] Kydex® 1.42oz [40.26g] Leather	1.85oz [52.45g] Kydex® 1.42oz [40.26g] Leather

CONFIGURATIONS/MSRP

15001-1	G10	\$155
15001-2	Wood	\$155
15003-1	G10	\$165
15003-2	Wood	\$165

15007 SADDLE MOUNTAIN HUNTER

BENCHMADE DESIGN • U.S.A.



The same great handle design as the Skinner but with a more traditional hunting blade style.

MECHANISM Fixed blade

BLADE STYLE Drop-point

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE 15007-1: Gray and black, contoured and textured G10; 15007-2: Contoured stabilized wood

SHEATH 15007-1: Molded Kydex® with reversible belt loop; 15007-2: Pressure fit, rich leather with integrated guard



15007

BLADE LENGTH	4.05" (10.29cm)
BLADE THICKNESS	0.120" (3.05mm)
OVERALL LENGTH	8.59" (21.82cm)
WEIGHT	4.08oz (115.67g) G10 3.58oz (101.49g) Wood
HANDLE THICKNESS	0.56" (14.22mm)
SHEATH WEIGHT	1.85oz (52.45g) Kydex® 1.42oz (40.26g) Leather

CONFIGURATIONS/MSRP

15007-1	G10	\$145
15007-2	Wood	\$145

15007-1 15007-1 15007-2
Sheath included

15016 HIDDEN CANYON HUNTER

BENCHMADE DESIGN • U.S.A.



A compact knife for those who are looking to save space, it's truly about as much knife as you'll ever need.

MECHANISM Fixed blade

BLADE STYLE Drop-point

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE 15016-1: Gray and black, contoured and textured G10; 15016-2: Contoured stabilized wood

SHEATH 15016-1: Molded Kydex® with ambidextrous, horizontal carry, leather belt loop; 15016-2: Pressure fit, rich leather with ambidextrous, horizontal carry, belt loop



15016

BLADE LENGTH	2.67" (6.78cm)
BLADE THICKNESS	0.140" (3.56mm)
OVERALL LENGTH	6.32" (16.05cm)
WEIGHT	3.53oz (100.07g) G10 3.19oz (90.43g) Wood
HANDLE THICKNESS	0.58" (14.73mm)
SHEATH WEIGHT	1.38oz (39.12g) Kydex® 1.06oz (30.05g) Leather

CONFIGURATIONS/MSRP

15016-1	G10	\$135
15016-2	Wood	\$135

15016-2 15016-1
Sheath included

BENCHMADE HUNTING.



15008 STEEP COUNTRY

15009 STEEP COUNTRY W/ HOOK

BENCHMADE DESIGN • U.S.A.

15008/15009

Designed to hit a hunters' preferences for shape and feel dead center.

MECHANISM Fixed blade

BLADE STYLE 15008: Drop-point; 15009: Drop-point with hook

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE 15008-ORG and 15009-ORG: Orange textured high-vis Santoprene®; 15008-BLK and 15009-BLK: Black textured Santoprene®

SHEATH Molded Kydex® with multiple carry positions



15009-BLK

15008-ORG

15008

15009

Sheath included

	15008	15009
BLADE LENGTH	3.50" (8.89cm)	3.50" (8.89cm)
BLADE THICKNESS	0.140" (3.56mm)	0.140" (3.56mm)
OVERALL LENGTH	7.65" (19.43cm)	7.65" (19.43cm)
WEIGHT	3.71oz (105.18g)	3.85oz (109.15g)
HANDLE THICKNESS	0.62" (15.75mm)	0.62" (15.75mm)
SHEATH WEIGHT	1.88oz (53.30g)	1.88oz (53.30g)

CONFIGURATIONS/MSRP

15008-BLK	BLACK	\$115
15008-ORG	ORANGE	\$115
15009-BLK	BLACK	\$125
15009-ORG	ORANGE	\$125

15100 NESTUCCA CLEAVER **NEW**

BENCHMADE DESIGN • U.S.A.



Based on the Alaskan ulu, this unique cleaver makes short work of big game.

MECHANISM Fixed blade

BLADE STYLE Cleaver

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE Orange contoured and textured G10

SHEATH Brown leather sheath



Sheath included

15100

BLADE LENGTH	4.41" [11.20cm]
BLADE THICKNESS	0.140" [3.56mm]
OVERALL LENGTH	6.58" [16.71cm]
WEIGHT	4.95oz [140.33g]
HANDLE THICKNESS	0.57" [14.48mm]
SHEATH WEIGHT	1.25oz [35.44g]

CONFIGURATION/MSRP

15100	\$145
-------	-------

BENCHMADE HUNT.

15080 CROOKED RIVER **NEW**

BENCHMADE DESIGN • U.S.A.



A traditional profile with modern technology and style that pushes the preconceived notions of what a hunting knife should be.

MECHANISM AXIS® lock

BLADE STYLE Clip-point

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE 15080-1: Gray contoured G10 with anodized aluminum bolsters and stainless steel liners; 15080-2: Contoured stabilized wood with anodized aluminum bolsters and stainless steel liners

EXTRA Orange G10 backspacer, orange anodized aluminum pivot ring and reversible tip-up pocket clip



15080-1

15080-2

15080

BLADE LENGTH	4.00" (10.16cm)
BLADE THICKNESS	0.124" (3.15mm)
OPEN	9.30" (23.62cm)
CLOSED	5.33" (13.54cm)
WEIGHT	5.41oz (153.37g)
HANDLE THICKNESS	0.60" (15.24mm)

CONFIGURATIONS/MSRP

15080-1	G10	\$210
15080-2	Wood	\$210

15031 NORTH FORK

BENCHMADE DESIGN • U.S.A.



A compact folding **AXIS®** hunting knife with a recurved blade to assist with processing duties.

MECHANISM AXIS® lock

BLADE STYLE Drop-point

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE 15031-1: Gray and black textured G10; 15031-2: Contoured stabilized wood

EXTRA Reversible tip-up pocket clip



15031-1

15031-2

15031

BLADE LENGTH	2.97" [7.54cm]
BLADE THICKNESS	0.114" [2.90mm]
OPEN	6.87" [17.45cm]
CLOSED	3.90" [9.91cm]
WEIGHT	3.41oz [96.67g] G10 3.16oz [89.58g] Wood
HANDLE THICKNESS	0.53" [13.46mm]

CONFIGURATIONS/MSRP

15031-1	G10	\$165
15031-2	Wood	\$165

15051 BIG SUMMIT LAKE

15056 SMALL SUMMIT LAKE

BENCHMADE DESIGN • U.S.A.

15051/ 15056

Recalls the day you were taught how to skin a buck...but with better blade steel.

MECHANISM Lock-back

BLADE STYLE Drop-point

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE Contoured stabilized wood with stainless steel liners

EXTRA Tip-up pocket clip



15051-2

15056-2

15051

15056

BLADE LENGTH	3.77" [9.58cm]	2.89" [7.34cm]
BLADE THICKNESS	0.124" [3.15mm]	0.114" [2.90mm]
OVERALL LENGTH	8.34" [21.18cm]	6.54" [16.61cm]
CLOSED	4.57" [11.61cm]	3.65" [9.27cm]
WEIGHT	4.59oz [130.12g]	3.04oz [86.18g]
HANDLE THICKNESS	0.57" [14.48mm]	0.45" [11.43mm]

CONFIGURATIONS/MSRP

15051-2	Wood	\$145
15056-2	Wood	\$135

BENCHMADE HUNT.

BLACK CLASS

Made for professionals. When quality tools mean
the difference between life and death.



3300 INFIDEL®

MCHENRY & WILLIAMS DESIGN • U.S.A.



An incredibly fast, reliable tactical out-the-front, the Infidel has a cool factor that is hard to describe without experiencing it.

MECHANISM Double-action out-the-front automatic

BLADE STYLE Double-edge dagger

BLADE STEEL D2 tool steel (60-62HRC)

HANDLE Black anodized, 6061-T6 billet aluminum

SHEATH Cordura® with snap retention and malice clip

EXTRA Deep-carry pocket clip



Sheath with Malice Clip® included

3300

BLADE LENGTH	3.91" [9.93cm]
BLADE THICKNESS	0.118" [2.99mm]
OPEN	8.91" [22.63cm]
CLOSED	5.00" [12.70cm]
WEIGHT	4.90oz [138.91g]
HANDLE THICKNESS	0.59" [14.99mm]

CONFIGURATIONS/MSRP

3300	\$475
3300BK	BLACK \$490

3320 PAGAN®

3321 PAGAN® SINGLE-EDGE NEW

BENCHMADE DESIGN • U.S.A.



3320/3321

The same incredible mechanism of the Infidel® with smooth handles and a chisel ground blade.

MECHANISM Double-action out-the-front automatic

BLADE STYLE 3320: Chisel ground, double-edge dagger; 3321: Chisel ground, single-edge spear-point

BLADE STEEL 154CM stainless steel (58-61HRC)

HANDLE Black anodized, 6061-T6 billet aluminum

SHEATH Cordura® with snap retention and malice clip

EXTRA Deep-carry pocket clip



3320BK

3321



Sheath with Malice Clip® included

	3320	3321
BLADE LENGTH	3.96" (10.06cm)	3.96" (10.06cm)
BLADE THICKNESS	0.100" (2.54mm)	0.100" (2.54mm)
OPEN	8.96" (22.76cm)	8.96" (22.76cm)
CLOSED	5.00" (12.70cm)	5.00" (12.70cm)
WEIGHT	5.11oz (144.87g)	5.11oz (144.87g)
HANDLE THICKNESS	0.60" (15.24mm)	0.60" (15.24mm)

CONFIGURATIONS/MSRP

3320		\$425
3320BK	BLACK	\$440
3321		\$425
3321BK	BLACK	\$440

6800 AUTO APB

BENCHMADE DESIGN • U.S.A.



The first ever ambidextrous push-button automatic allows for access from almost any carry position.

MECHANISM Ambidextrous push-button automatic

BLADE STYLE Clip-point

BLADE STEEL 154CM stainless steel (58-61HRC)

HANDLE Black anodized, 6061-T6 billet aluminum with stainless steel liners

EXTRA Carbide glass breaker and reversible tip-up deep-carry pocket clip



6800SBK



Carbide glass breaker

6800

BLADE LENGTH	3.52" [8.94cm]
BLADE THICKNESS	0.124" [3.15mm]
OPEN	8.64" [21.95cm]
CLOSED	5.12" [13.00cm]
WEIGHT	6.28oz (178.04g)
HANDLE THICKNESS	0.63" [16.00mm]

CONFIGURATIONS/MSRP

6800		\$280
6800S	SERR	\$280
6800BK	BLACK	\$295
6800SBK	SERR BLACK	\$295



Both a manual and an automatic, no matter the job, the **AXIS**[®] Dual Action has you covered.

MECHANISM **AXIS**[®] Dual Action

BLADE STYLE Drop-point

BLADE STEEL 154CM stainless steel (58-61HRC)

HANDLE Black G10 with stainless steel liners


EXTRA Reversible tip-up pocket clip




5400SBK

AXIS[®] Dual Action Innovation

The strongest, most versatile automatic mechanism on the market for nearly 20 years has evolved. The new **AXIS**[®] Dual Action automatic or manual opening combines the superior ambidextrous function of the manual **AXIS**[®] with a covert automatic action triggered by pulling the **AXIS**[®] bar down further. No matter the job, the **AXIS**[®] Dual Action has you covered.



Pull down **AXIS**[®] for manual



Pull down further for automatic

5400

BLADE LENGTH	3.47" (8.81cm)
BLADE THICKNESS	0.120" (3.05mm)
OPEN	8.17" (20.75cm)
CLOSED	4.70" (11.94cm)
WEIGHT	4.63oz (131.26g)
HANDLE THICKNESS	0.58" (14.73mm)

CONFIGURATIONS/MSRP

5400		\$255
5400S	SERR	\$255
5400BK	BLACK	\$270
5400SBK	SERR BLACK	\$270

808 LOCO®
BENCHMADE DESIGN • U.S.A.



A truly robust tactical knife with refined custom-styled hardware.

MECHANISM AXIS® lock

BLADE STYLE Reverse tanto

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE Black G10 with stainless steel liners

EXTRA Custom-styled hardware and reversible tip-up deep-carry pocket clip

BLACK CLASS



808SBK

808

BLADE LENGTH	3.68" (9.35cm)
BLADE THICKNESS	0.160" (4.06mm)
OPEN	8.62" (21.89cm)
CLOSED	4.94" (12.55cm)
WEIGHT	6.56oz (185.97g)
HANDLE THICKNESS	0.67" (17.02mm)

CONFIGURATIONS/MSRP

808			\$240
808S	SERR		\$240
808BK		BLACK	\$255
808SBK	SERR	BLACK	\$255

275/2750 ADAMAS®

SIBERT DESIGN • U.S.A.



MOLLE
COMPATIBLE

275/2750

The strongest **AXIS®** knives ever made.

MECHANISM 275: **AXIS®** lock; 2750: Auto **AXIS®** lock with integrated safety

BLADE STYLE Drop-point

BLADE STEEL D2 tool steel (60-62HRC)

HANDLE Sand or black G10 with stainless steel liners

SHEATH Cordura® with snap retention and malice clip

EXTRA Reversible tip-up deep-carry pocket clip



275BK

275SBKSN

Sheath with Malice Clip® included

175 CBK

BENCHMADE DESIGN • U.S.A.



A tool designed for combat type applications.

MECHANISM Fixed blade

BLADE STYLE Chisel ground, double-edge dagger

BLADE STEEL 440C (58-60HRC)

HANDLE Rubber-dipped

SHEATH PIM

EXTRA

Multi-position carry



175BKSN

175BK

175BK Sheath



	175	275/2750	375
BLADE LENGTH	2.50" [6.35cm]	3.82" [9.70cm]	4.20" [10.67cm]
BLADE THICKNESS	0.125" [3.18mm]	0.160" [4.06mm]	0.170" [4.32mm]
OVERALL LENGTH	5.47" [13.89cm]	8.70" [22.10cm]	9.03" [22.94cm]
CLOSED	-	4.88" [12.40cm]	-
WEIGHT	2.32oz (65.77g)	7.68oz [217.72g] 275 7.54oz [213.76g] 2750	5.60oz [158.76g]
HANDLE THICKNESS	0.25" [6.35mm]	0.73" [18.54mm]	0.17" [4.32mm]
SHEATH WEIGHT	1.70oz [48.19g]		1.11oz [31.47g]



A portion of the proceeds from the 175BKSN benefit the Three Rangers and Navy SEAL Foundations.

375 ADAMAS® FIXED BLADE

SIBERT DESIGN • U.S.A.



Includes a paracord handle wrap, molded jump rated sheath and Tek-Lok™ attachment system.

MECHANISM Fixed blade

BLADE STYLE Drop-point with serrations on spine

BLADE STEEL D2 tool steel (60-62HRC)

HANDLE Black or sand coated and skeletonized with optional paracord wrap included

SHEATH Injection molded with tension screw, removable locking strap and eight position Tek-Lok™



Benchmade Knife Company is proud to donate a portion of the proceeds from the sale of these knives to the Three Rangers Foundation and Navy SEAL Foundation.



375SN

375BK

Tek-Lok™ included



CORD WRAP
(paracord included)
To view video, scan code below or visit:
www.benchmade.com/375

CONFIGURATIONS/MSRP

2750BK	BLACK	\$260
2750SBK	SERR BLACK	\$260
2750BKSN	BLACK	\$260
2750SBKSN	SERR BLACK	\$260
275BK	BLACK	\$210
275SBK	SERR BLACK	\$210
275BKSN	BLACK	\$210
275SBKSN	SERR BLACK	\$210
375SN	SAND	\$175
375BKSN	BLACK	\$175
375BK	BLACK	\$175
175BK	BLACK	\$105
175BKSN	BLACK	\$105

9101 **AUTO STRYKER**[®]
 9501 **MINI-AUTO STRYKER**[®] **NEW**
 BENCHMADE DESIGN • U.S.A.



(9101 only)

9101 

9501  

The next generation Auto Strykers[®] are upgraded for increased function and reliability.

MECHANISM Push-button automatic with integrated safety

BLADE STYLE Tanto

BLADE STEEL 154CM stainless steel (58-61HRC)

HANDLE Black anodized, 6061-T6 billet aluminum

EXTRA 9101: Multi-position tip-up or tip-down pocket clip;
 9501: Tip-up pocket clip



9101BK

9501SBK
Mini

	9101	9501
BLADE LENGTH	3.60" (9.14 cm)	2.95" (7.49cm)
BLADE THICKNESS	0.124" (3.15mm)	0.098" (2.49mm)
OPEN	8.30" (21.08cm)	7.21" (18.31cm)
CLOSED	4.70" (11.94cm)	4.26" (10.82cm)
WEIGHT	4.20oz (119.07g)	2.91oz (82.50g)
HANDLE THICKNESS	0.50" (12.70mm)	0.47" (11.94mm)

CONFIGURATIONS/MSRP

9101BK	BLACK	\$265
9101SBK	SERR BLACK	\$265
9501BK	BLACK	\$225
9501SBK	SERR BLACK	\$225



908/909/903/904



Multiple options for size and blade style make this a great choice.

MECHANISM AXIS® lock

BLADE STYLE 904/909: Tanto;
903/908: Drop-point

BLADE STEEL 154CM stainless steel (58-61HRC)

HANDLE Black textured G10 with stainless steel liners

EXTRA Reversible tip-up deep-carry pocket clip



	903/904	908/909
BLADE LENGTH	2.94" (7.48cm)	3.57" (9.07cm)
BLADE THICKNESS	0.104" (2.64mm)	0.124" (3.15mm)
OPEN	6.81" (17.30cm)	8.29" (21.06cm)
CLOSED	3.87" (9.83cm)	4.72" (11.99cm)
WEIGHT	2.84oz (80.51g)	4.38oz (124.17g)
HANDLE THICKNESS	0.40" (10.16mm)	0.47" (11.94mm)

CONFIGURATIONS/MSRP

903		\$165
903BK	BLACK	\$180
904		\$165
904BK	BLACK	\$180
908		\$180
908BK	BLACK	\$195
908SBK	SERR BLACK	\$195
909		\$180
909S	SERR	\$180
909SBK	SERR BLACK	\$195

9051/9052 AFO II

BENCHMADE DESIGN • U.S.A.



9051/9052

The AFO II push-button auto has become a proven tool used in all branches of the Armed Forces.

MECHANISM Push-button automatic with integrated safety

BLADE STYLE 9051: Drop-point; 9052: Tanto

BLADE STEEL 154CM stainless steel (58-61HRC)

HANDLE Black anodized, 6061-T6 billet aluminum

EXTRA Multi-positions reversible, tip-up or tip-down

SHEATH Cordura® with snap retention and malice clip

9052

9051SBK



Sheath included

9051/9052	
BLADE LENGTH	3.56" (9.04cm)
BLADE THICKNESS	0.124" (3.15mm)
OPEN	8.51" (21.62cm)
CLOSED	4.95" (12.57cm)
WEIGHT	5.80oz (164.43g)
HANDLE THICKNESS	0.60" (15.24mm)

CONFIGURATIONS/MSRP

9051			\$250
9051S	SERR		\$250
9051BK		BLACK	\$265
9051SBK	SERR	BLACK	\$265
9052			\$250
9052S	SERR		\$250
9052BK		BLACK	\$265
9052SBK	SERR	BLACK	\$265

2551 MINI REFLEX II **NEW**

BENCHMADE DESIGN • U.S.A.



The Reflex gets an upgrade with an enlarged button and increased reliability.

MECHANISM Push-button automatic with integrated safety

BLADE STYLE Drop-point

BLADE STEEL 154CM stainless steel (58-61HRC)

HANDLE Black anodized, 6061-T6 billet aluminum

EXTRA Tip-up pocket clip



2551

2551

BLADE LENGTH	3.17" (8.05cm)
BLADE THICKNESS	0.097" (2.46mm)
OPEN	7.34" (18.64cm)
CLOSED	4.17" (10.59cm)
WEIGHT	2.58oz (73.14g)
HANDLE THICKNESS	0.48" (12.19mm)

CONFIGURATIONS/MSRP

2551		\$210
2551S	SERR	\$210
2551BK	BLACK	\$225
2551SBK	SERR BLACK	\$225

3551 STIMULUS **NEW**

PARDUE DESIGN • U.S.A.



The 3550 gets an upgrade with an enlarged button and increased reliability.

MECHANISM Push-button automatic with integrated safety

BLADE STYLE Spear-point

BLADE STEEL 154CM stainless steel (58-61HRC)

HANDLE Black anodized, 6061-T6 billet aluminum

EXTRA Tip-up or tip-down pocket clip



3551

3551

BLADE LENGTH	2.99" (7.59cm)
BLADE THICKNESS	0.088" (2.24mm)
OPEN	7.09" (18.00cm)
CLOSED	4.10" (10.41cm)
WEIGHT	2.71oz (76.83g)
HANDLE THICKNESS	0.46" (11.68mm)

CONFIGURATIONS/MSRP

3551		\$210
3551S	SERR	\$210
3551BK	BLACK	\$225
3551SBK	SERR BLACK	\$225



4300 CLA

4300-1 CLA **NEW**

BENCHMADE DESIGN • U.S.A.

4300/4300-1  

A classy, all-purpose, G10 auto for any occasion; formal to tactical.

MECHANISM Push-button automatic with integrated safety

BLADE STYLE Drop-point

BLADE STEEL 154CM stainless steel (58-61HRC)

HANDLE 4300: Black contoured G10; 4300-1: Green and black contoured and textured G10

EXTRA Reversible tip-up deep-carry pocket clip



4300SBK

4300-1

	4300	4300-1
BLADE LENGTH	3.40" [8.64cm]	3.40" [8.64cm]
BLADE THICKNESS	0.114" [2.90mm]	0.114" [2.90mm]
OPEN	7.85" [19.94cm]	7.85" [19.94cm]
CLOSED	4.45" [11.30cm]	4.45" [11.30cm]
WEIGHT	3.47oz [98.37g]	3.60oz [102.06g]
HANDLE THICKNESS	0.49" [12.45mm]	0.49" [12.45mm]

CONFIGURATIONS/MSRP

4300		\$235
4300S	SERR	\$235
4300BK	BLACK	\$250
4300SBK	SERR BLACK	\$250
4300-1		\$235
4300SBK-1	SERR BLACK	\$250

3150 IMPEL®

LERCH DESIGN • U.S.A.



This small automatic gent knife is packed with premium features.

MECHANISM Push-button automatic with integrated safety

BLADE STYLE Drop-point

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE 6061-T6 billet aluminum with black textured G10 inlays

EXTRA Tip-down pocket clip



3150

3150

BLADE LENGTH	1.98" (5.03cm)
BLADE THICKNESS	0.100" (2.54mm)
OPEN	5.04" (12.80cm)
CLOSED	3.06" (7.77cm)
WEIGHT	1.39oz (39.41g)
HANDLE THICKNESS	0.35" (8.89mm)

CONFIGURATIONS/MSRP

3150	\$170
3150BK	BLACK \$185

AUTO TRIAGE® FAMILY

BENCHMADE DESIGN • U.S.A.



9170/ 9160



Designed for first responders,
when speed and safety
are a necessity.

MECHANISM Auto AXIS® lock with
integrated safety

BLADE STYLE 9170: Drop-point;
9160: Opposing bevel

BLADE STEEL N680 ultra stainless
steel (57-59HRC)

HANDLE Black anodized, 6061-T6 billet
aluminum with textured G10 inlays
(available in black or safety orange)

EXTRA 440C automatic opening rescue
hook (58-60HRC), carbide glass breaker
and tip-up deep-carry pocket clip



Sheath optional, see page 88.
984094F and 984093F

	9170	9160
BLADE LENGTH	3.58" (9.09cm)	3.35" (8.51cm)
BLADE THICKNESS	0.124" (3.15mm)	0.124" (3.15mm)
OPEN	8.31" (21.11cm)	8.08" (20.52cm)
CLOSED	4.73" (12.01cm)	4.73" (12.01cm)
WEIGHT	5.75oz (163.01g)	5.58oz (158.19g)
HANDLE THICKNESS	0.58" (14.73mm)	0.58" (14.73mm)

CONFIGURATIONS/MSRP

9170BK	BLACK	\$295
9170SBK	SERR BLACK	\$295
9170BK-ORG	BLACK	\$295
9170SBK-ORG	SERR BLACK	\$295
9160SBK	SERR BLACK	\$295

915/ 916



A triple utility tool that includes a knife, safety hook and glass breaker.

MECHANISM AXIS® lock

BLADE STYLE 915: Sheepsfoot; 916: Opposing bevel

BLADE STEEL N680 ultra stainless steel (57-59HRC)

HANDLE Textured G10 (available in black or safety orange) with stainless steel liners

EXTRA 440C rescue hook (58-60HRC), carbide glass breaker and reversible tip-up deep-carry pocket clip



916SBK

915-ORG



Carbide glass breaker

Sheath optional, see page 88.
984094F and 984093F

	915	916
BLADE LENGTH	3.50" (8.89cm)	3.40" (8.64cm)
HOOK LENGTH	2.00" (5.08cm)	2.00" (5.08cm)
BLADE THICKNESS	0.124" (3.15mm)	0.124" (3.15mm)
OPEN	8.35" (21.21cm)	8.25" (20.96cm)
CLOSED	4.85" (12.32cm)	4.85" (12.32cm)
WEIGHT	5.10oz (144.58g)	5.24oz (148.55g)
HANDLE THICKNESS	0.45" (11.43mm)	0.45" (11.43mm)

CONFIGURATIONS/MSRP

915		\$175
915S	SERR	\$175
915BK	BLACK	\$190
915BK	SERR BLACK	\$190
915-ORG		\$175
915S-ORG	SERR	\$175
915BK-ORG	BLACK	\$190
915BK-ORG	SERR BLACK	\$190
916SBK	SERR BLACK	\$190
916SBK-ORG	SERR BLACK	\$190





9155-ORG
TRIAGE®

RESCUE

Dedication. Hard work. Dependability. These words describe the character of those who commit their lives to helping others. Not many knives can live up to that standard.



320 PRECINCT **NEW**

BUTCH BALL DESIGN • U.S.A.



A compact Butch Ball designed flipper with textured G10 and finger relief for exceptional grip.

MECHANISM Liner lock flipper

BLADE STYLE Drop-point

BLADE STEEL 154CM stainless steel (58-61HRC)

HANDLE Black textured G10 with stainless steel liner

EXTRA Thrust bearing washers and reversible tip-up deep-carry pocket clip



320

320

BLADE LENGTH	3.30" (8.38cm)
BLADE THICKNESS	0.124" (3.15mm)
OPEN	7.78" (19.76cm)
CLOSED	4.48" (11.38cm)
WEIGHT	3.42oz (96.96g)
HANDLE THICKNESS	0.48" (12.07mm)

CONFIGURATIONS/MSRP

320			\$140
320S	SERR		\$140
320BK		BLACK	\$155
320SBK	SERR	BLACK	\$155

950 MANUAL RIFT® &

9555 AUTO RIFT®

OSBORNE DESIGN • U.S.A.



950  

9555 

A reverse tanto, large-bellied blade for strength and utility, and textured G10 handle scales for a secure grip.

MECHANISM 950/950-1: AXIS® lock;

9555: Auto AXIS® with integrated safety

BLADE STYLE Reverse tanto

BLADE STEEL 154CM stainless steel blade (58-61HRC)

HANDLE 950-1 & 9555: Black textured G10 with stainless steel liners; 950: Gray and black textured G10 with stainless steel liners

EXTRA Reversible tip-up pocket clip



9555SBK

950

BLACK CLASS

	950/950-1	9555
BLADE LENGTH	3.67" (9.32cm)	3.67" (9.32cm)
BLADE THICKNESS	0.114" (2.90mm)	0.114" (2.90mm)
OPEN	8.27" (21.01cm)	8.27" (21.01cm)
CLOSED	4.60" (11.68cm)	4.60" (11.68cm)
WEIGHT	4.80oz (136.08g)	4.95oz (140.33g)
HANDLE THICKNESS	0.56" (14.22mm)	0.56" (14.22mm)

CONFIGURATIONS/MSRP

950		\$195
950BK	BLACK	\$210
950SBK	SERR BLACK	\$210
950-1		\$195
950SBK-1	SERR BLACK	\$210
9555		\$255
9555SBK	SERR BLACK	\$270

810 CONTEGO

OSBORNE DESIGN • U.S.A.



A large, aggressively styled tactical knife with a glass breaker on the pommel.

MECHANISM AXIS® lock

BLADE STYLE Reverse tanto

BLADE STEEL CPM-M4 super steel (62-64HRC)

HANDLE Black textured G10 with stainless steel liners

EXTRA Carbide glass breaker and reversible tip-up deep-carry pocket clip



810SBK



Carbide glass breaker

810

BLADE LENGTH	3.98" (10.11cm)
BLADE THICKNESS	0.156" (3.96mm)
OPEN	9.28" (23.57cm)
CLOSED	5.30" (13.46cm)
WEIGHT	5.92oz (167.83g)
HANDLE THICKNESS	0.55" (13.97mm)

CONFIGURATIONS/MSRP

810	GRAY	\$215
810S	SERR GRAY	\$215
810BK	BLACK	\$215
810SBK	SERR BLACK	\$215

183 FIXED CONTEGO

OSBORNE DESIGN • U.S.A.



Thick steel and a reverse tanto blade make for great tip-strength and good all-around performance.


MECHANISM Fixed blade

BLADE STYLE Reverse tanto

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE Black contoured G10

SHEATH Injection molded with tension screw and malice clip



183

183SBK



Sheath included

183

BLADE LENGTH	4.97" (12.62cm)
BLADE THICKNESS	0.166" (4.22mm)
OVERALL LENGTH	10.18" (25.86cm)
WEIGHT	7.14oz (202.42g)
HANDLE THICKNESS	0.62" (15.75mm)
SHEATH WEIGHT	2.32oz (65.77g)

CONFIGURATIONS/MSRP

183		\$195
183S	SERR	\$195
183BK	BLACK	\$210
183SBK	SERR BLACK	\$210

520 MANUAL PRESIDIO® & 5000/5300/5500 AUTO PRESIDIO®

PARDUE DESIGN • U.S.A.



MOLLE
COMPATIBLE

520/5000/5300 

5500  

One of the most recognizable tactical Benchmade knives ever defined the Auto AXIS®.

MECHANISM 520: AXIS® lock; 5000/5300/5500: Auto AXIS® with integrated safety

BLADE STYLE 520/5000/5500: Drop-point; 5300: Tanto

BLADE STEEL 154CM stainless steel (58-61HRC)

HANDLE Black anodized, 6061-T6 billet aluminum with stainless steel liners

SHEATH 5000 & 5300: Cordura® with snap retention and malice clip

EXTRA Reversible tip-up pocket clip



5300SBK

5000SBK



5500SBK
Mini

5000 & 5300
include sheath

CONFIGURATIONS/MSRP

	520/5000/5300	5500
BLADE LENGTH	3.47" (8.81cm)	2.97" (7.54cm)
BLADE THICKNESS	0.125" (3.18mm)	0.115" (2.92mm)
OPEN	8.24" (20.93cm)	7.12" (18.08cm)
CLOSED	4.87" (12.37cm)	4.15" (10.54cm)
WEIGHT	5.60oz (158.76g)	3.70oz (104.89g)
HANDLE THICKNESS	0.64" (16.26mm)	0.50" (12.70mm)

520		\$195
520BK	BLACK	\$210
520SBK	SERR BLACK	\$210
5000		\$255
5000SBK	SERR BLACK	\$270
5300SBK	SERR BLACK	\$270
5500		\$230
5500BK	BLACK	\$245
5500SBK	SERR BLACK	\$245

522/527 MANUAL PRESIDIO® ULTRA & 5270 AUTO PRESIDIO® ULTRA

PARDUE DESIGN • U.S.A.



522/527/5270  

The Presidio® Ultra is a light duty version of the original Presidio®.

MECHANISM 522 & 527: AXIS® lock; 5270: Auto AXIS® with integrated safety

BLADE STYLE Drop-point, hollow grind

BLADE STEEL 440C stainless steel (58-60HRC)

HANDLE Black textured Grivory® with stainless steel liners

EXTRA Reversible tip-up pocket clip



522

5270SBK
Mini

	522	527/5270
BLADE LENGTH	3.47" (8.81cm)	2.97" (7.54cm)
BLADE THICKNESS	0.125" (3.18mm)	0.115" (2.92mm)
OPEN	8.34" (21.18cm)	7.12" (18.08cm)
CLOSED	4.87" (12.37cm)	4.15" (10.54cm)
WEIGHT	4.80oz (136.07g)	3.10oz (87.88g)
HANDLE THICKNESS	0.64" (16.26mm)	0.50" (12.70mm)

CONFIGURATIONS/MSRP

5270BK	BLACK	\$215
5270SBK	SERR BLACK	\$215
522		\$115
522SBK	SERR BLACK	\$130
527		\$105
527S	SERR	\$105
527BK	BLACK	\$120

860 MANUAL BEDLAM® & 8600 AUTO BEDLAM®

BENCHMADE DESIGN • U.S.A.



860/8600 

Looks like a scimitar because it was originally designed for the security forces of a king.

MECHANISM 860: AXIS® lock; 8600: Auto AXIS® with integrated safety

BLADE STYLE Scimitar

BLADE STEEL 154CM stainless steel (58-61HRC)

HANDLE Black contoured and textured G10 with stainless steel liners

EXTRA Reversible tip-up deep-carry pocket clip



860

8600SBK

	860	8600
BLADE LENGTH	4.00" (10.16cm)	4.00" (10.16cm)
BLADE THICKNESS	0.121" (3.07mm)	0.121" (3.07mm)
OPEN	9.76" (24.79cm)	9.76" (24.79cm)
CLOSED	5.76" (14.63cm)	5.76" (14.63cm)
WEIGHT	7.20oz (204.12g)	7.30oz (206.95g)
HANDLE THICKNESS	0.60" (15.24mm)	0.60" (15.24mm)

CONFIGURATIONS/MSRP

8600BK	BLACK	\$290
8600SBK	SERR BLACK	\$290
860		\$230
860SBK	SERR BLACK	\$245

119 ARVENISIS **NEW**

SIBERT DESIGN • U.S.A.



A big, heavy-duty tactical knife that Shane Sibert designed to be well balanced with a "light hand feel."

MECHANISM Fixed blade

BLADE STYLE Clip-point

BLADE STEEL 154CM stainless steel (58-61HRC)

HANDLE Black contoured G10

SHEATH Black Boltaron® sheath

EXTRA Pressed titanium handle tubing



119SBK

119



Sheath included

119

BLADE LENGTH	6.42" (16.31cm)
BLADE THICKNESS	0.193" (4.90mm)
OVERALL LENGTH	11.70" (29.72cm)
WEIGHT	11.74oz (332.82g)
HANDLE THICKNESS	0.75" (19.05mm)
SHEATH WEIGHT	4.25oz (120.49g)

CONFIGURATIONS/MSRP

119		\$200
119S	SERR	\$200
119BK	BLACK	\$215
119SBK	SERR BLACK	\$215

140/141 NIMRAVUS®

BENCHMADE DESIGN • U.S.A.



140/141

Our all-time best-selling combat fixed blade.

MECHANISM Fixed blade

BLADE STYLE 140: Drop-point; 141: Tanto

BLADE STEEL 154CM stainless steel (58-61HRC)

HANDLE Black anodized, 6061-T6 billet aluminum

SHEATH Multifunctional, nylon, and MOLLE® compatible with malice clip




141SBK

140BK



Black



Coyote (SN)

	140	141
BLADE LENGTH	4.50" (11.43cm)	4.50" (11.43cm)
BLADE THICKNESS	0.115" (2.92mm)	0.115" (2.92mm)
OVERALL LENGTH	9.45" (24.00cm)	9.45" (24.00cm)
WEIGHT	6.20oz (175.77g)	5.86oz (166.13g)
HANDLE THICKNESS	0.58" (14.73mm)	0.58" (14.73mm)
SHEATH WEIGHT	5.00oz (141.75g)	5.00oz (141.75g)

CONFIGURATIONS/MSRP

140BK	BLACK	\$185
140SBK	SERR BLACK	\$185
140BKSN	BLACK	\$200
140SBKSN	SERR BLACK	\$200
141BK	BLACK	\$185
141SBK	SERR BLACK	\$185
141SBKSN	SERR BLACK	\$200

167/169 PROTAGONIST™ **NEW**

BENCHMARK DESIGN • U.S.A.



167/169  

Designed for military and law enforcement, the Protagonist™ is easily integrated into a kit.

MECHANISM Fixed blade

BLADE STYLE 167: Tanto;
169: Drop-point

BLADE STEEL 154CM stainless steel (58-61HRC)

HANDLE Grivory® with black Versaflex® over-mold and olive drab accent

SHEATH Black injection molded with tension screw, ballistic nylon removable belt loop and removable locking strap. MOLLE® compatible with malice clip. Also compatible with Tek-Lok™ (not included)



169BK

167SBK

167/169

BLADE LENGTH	4.54" (11.53cm)
BLADE THICKNESS	0.124" (3.15mm)
OVERALL LENGTH	9.12" (23.16cm)
WEIGHT	4.23oz (119.92g)
HANDLE THICKNESS	0.54" (13.72mm)

CONFIGURATIONS/MSRP

167BK	BLACK	\$155
167SBK	SERR BLACK	\$155
169BK	BLACK	\$155
169SBK	SERR BLACK	\$155

BLACK CLASS

176 SOCP DAGGER & 178 SOCP SPEAR-POINT

THOMPSON DESIGN • U.S.A.



Designed for the Special Operations Combatives Program, it's the optimal tool for self-defense.

MECHANISM Fixed blade

BLADE STYLE 178: Skeletonized spear-point; 176: Skeletonized dagger

BLADE STEEL 440C stainless steel (58-60HRC)

HANDLE Black coated single-piece tool with finger ring

SHEATH MOLLE® compatible, malace clip free, injection molded in black or sand with lanyard hole and dip-coated clip

EXTRA Trainer available



Sheath included

CONFIGURATIONS/MSRP

176BK Dagger & black sheath	BLACK	\$105
176BK-COMBO Dagger & black sheath with trainer	BLACK	\$145
176BKS Dagger & sand sheath	BLACK	\$105
176BKS-COMBO Dagger & sand sheath with trainer	BLACK	\$145
176T Trainer with sheath	RED	\$65
178SBK Dagger & black sheath	SERR BLACK	\$115
178SBK-COMBO Dagger & black sheath with trainer	SERR BLACK	\$145
178SBKS Dagger & sand sheath	SERR BLACK	\$115
178SBKS-COMBO Dagger & sand sheath with trainer	SERR BLACK	\$145

	176 DAGGER	178 DROP-POINT	176 TRAINER
LENGTH	7.25" (18.42cm)	7.25" (18.42cm)	6.81" (17.30cm)
BLADE LENGTH	3.22" (8.18cm)	3.22" (8.18cm)	2.78" (7.06cm)
HANDLE LENGTH	4.03" (10.24cm)	4.03" (10.24cm)	4.03" (10.24cm)
THICKNESS	0.175" (4.45mm)	0.175" (4.45mm)	0.175" (4.45mm)
WEIGHT	2.12oz (60.10g)	2.04oz (57.83g)	2.58oz (73.14g)
SHEATH WEIGHT	1.04oz (29.48g)	1.04oz (29.48g)	1.04oz (29.48g)

179 SOCP RESCUE TOOL **NEW**

THOMPSON DESIGN • U.S.A.



Designed for rescue performance and less-than-lethal self-defense. The tool includes the Benchmade rescue hook design, a carbide glass breaker, and an O₂ wrench.

MECHANISM Fixed

BLADE STYLE Rescue hook with carbide glass breaker and oxygen wrench

BLADE STEEL 440C stainless steel (58-60HRC)

HANDLE Gray coated single-piece tool with finger ring

SHEATH MOLLE® compatible injection molded in black or sand with lanyard hole and dip-coated clip

EXTRA Trainer available



179GRY



Sheath included



Carbide glass breaker

	179
LENGTH	6.75" (17.15cm)
HANDLE THICKNESS	0.18" (4.57mm)
WEIGHT	1.88oz (53.30g)
SHEATH WEIGHT	1.04oz (29.48g)

CONFIGURATIONS/MSRP

179GRY Hook & black sheath	GRAY	\$90
179GRYSN Hook & sand sheath	GRAY	\$90
179GRY-COMBO Hook & black sheath with trainer	GRAY	\$130
176GRYSN-COMBO Hook & sand sheath with trainer	GRAY	\$130

RESCUE HOOK FAMILY

BENCHMADE DESIGN • U.S.A.



Cut quickly in an emergency situation.

A recent performance study found hooked cutting devices to be as much as 363% faster than scissors in clothing removal.

(Use of a Hooked Cutting Device Compared With Scissors for the Emergency Exposure of Critically Ill and Injured Patients Nelson Tanga, Matthew J. Levy, Jeffrey Harrow and Nina Bingham Prehospital and Disaster Medicine, FirstView Article, pp. 1-4 Copyright © 2013 World Association for Disaster and Emergency Medicine)

BLADE STYLE Opening: 0.50" (12.70mm)

BLADE STEEL 440C stainless steel used in 5, 7 and 8 hooks (58-60HRC)

SHEATH Black nylon with malice clip

Alternative sheath colors are available separately (see page 88)



8 HOOK

The longer handle provides greater reach and leverage.

8 BLKW MED

This hook is ideal for cutting bandages, medical tubing, casts and uniforms. O₂ wrench laser cut in blade.



8 HOOK

OVERALL LENGTH	6.50" (16.51cm)
WEIGHT	1.50oz (42.52g)

CONFIGURATIONS/MSRP

8 BLKW	BLACK	\$40
8 BLKW MED	BLACK	\$40

RESCUE HOOK FAMILY

BENCHMADE DESIGN • U.S.A.



7 HOOK

The larger handle design works well with gloved hands and the coated handle allows for better grip.



5 HOOK

This small, compact design is great for lightweight carry.

	7 HOOK	5 HOOK
OVERALL LENGTH	4.30" (10.92cm)	2.90" (7.37cm)
WEIGHT	1.50oz (42.52g)	1.20oz (34.02g)

CONFIGURATIONS/MSRP		
7 BLKW	BLACK	\$40
5 BLKW	BLACK	\$40

RESCUE HOOK FAMILY

BENCHMADE DESIGN • U.S.A.

9 CB-YEL



9 CB-BLK

Retractable blade cover

9 CB HOOK



Cuts up to 1/2"-diameter rope and features a retractable safety blade cover. A carabiner clip and bottle opener complete the package.



30200

30210

HOUDINI PRO



Professional rescue tool featuring a window breaker, seatbelt cutter and LED flashlight. Import: Made in China

9 CB HOOK

LENGTH	5.19" (13.18cm)
WEIGHT	0.80oz (22.68g)

CONFIGURATIONS/MSRP

9 CB-BLK	BLACK	\$35
9 CB-YEL	YELLOW	\$35
30200	YELLOW	\$45
30210	BLACK	\$45

BENCHMADE PENS

BENCHMADE DESIGN • U.S.A.



Precision crafted writing tools.

- Ergonomic knurling patterns
- Anodized aluminum, titanium, stainless steel or Damascus bodies
- Caps securely snap open and closed
- Fisher ink cartridges

1100 Series

ALUMINUM



1100-5 (Blue Ink)
1100-6 (Black Ink)

1100-7 (Blue Ink)

1100-8 (Black Ink)

1100-9 (Blue Ink)
1100-10 (Black Ink)

1100-1 (Blue Ink)

1100-2 (Black Ink)

1101-1 (Blue Ink & Carbide Tip)
1101-2 (Black Ink & Carbide Tip)



Carbide tip breaks glass

TITANIUM



1100-15 (Blue ink)
1100-16 (Black ink)

STAINLESS STEEL



1100-3 (Blue Ink)
1100-4 (Black Ink)

DAMASCUS PATTERN




1100-13 (Blue Ink)
1100-14 (Black Ink)

REFILLS

984864F Black Ink Refill

984865F Blue Ink Refill



Damascus pattern detail

1100

PEN DIAMETER	0.50" (12.70mm)
OPEN WITHOUT CAP	5.10" (12.95cm)
CLOSED WITH CAP	5.33" (13.54cm)
ALUMINUM WEIGHT	1.30oz (36.85g)
TITANIUM WEIGHT	1.89oz (53.58g)
STAINLESS WEIGHT	3.20oz (90.72g)
DAMASCUS WEIGHT	3.20oz (90.72g)

CONFIGURATIONS/MSRP

Aluminum	\$125
Aluminum with Carbide Tip	\$135
Stainless Steel	\$185
Titanium	\$215
Damascus	\$255
Black Ink Refill 984864F	\$5.50
Blue Ink Refill 984865F	\$5.50

APPAREL



True Blue
Short-Sleeve Tee, Blue
Made in USA
M, L, XL, 2XL\$22.00



True Blue (Ladies)
Short-Sleeve Tee, Blue
Made in USA
S, M, L, XL\$22.00



HUNT. Grizzly Creek
Short-Sleeve Tee, Black
Made in USA
M, L, XL, 2XL\$22.00



HUNT. Grizzly Creek (Ladies)
Short-Sleeve Tee, Black
Made in USA
S, M, L, XL\$22.00



Bali-Song® Legend
Short-Sleeve Tee, Navy
Made in USA
M, L, XL, 2XL\$22.00



Bali-Song® Legend (Ladies)
Short-Sleeve Tee, Navy
Made in USA
S, M, L, XL\$22.00



Infidel® Shirt.

Short-Sleeve Tee, Dark Heather Gray
 Made in USA.
 M, L, XL, 2XL\$22.00



OD Patriot

T-Shirt Design Contest Winner by
 Ryan VanderDoes. Short-Sleeve Tee,
 Olive Drab. Made in USA
 M, L, XL, 2XL\$22.00



Pinwheel Blade (Ladies)

Short-Sleeve Tee, Ice Gray
 Made in USA
 S, M, L, XL,\$22.00



HQ Hoodie

Pull-Over Hoodie, Gray
 M, L, XL, 2XL\$40.00

HATS



Tan Tactical Hat

Loop Velcro® Front and Top
with Velcro® Closure
One Size Fits Most
987908F \$20.00



Gray Tactical Hat

Loop Velcro® Front and Top
with Velcro® Closure
One Size Fits Most
989796F \$20.00



Trucker "Solid Steel"

Mesh Back with Plastic Snap Closure
One Size Fits Most
988162F \$20.00



HUNT Hat

Camo with Velcro® Closure
One Size Fits Most
989137F \$20.00



Black Flexfit® Hat

Raised Embroidered Benchmade Logo
983881F - S-M \$20.00
983798F - L-XL \$20.00



Fitted Hat

Wool Blend, Raised Embroidered
Bali-Song® Legend Logo
100087F - 7-1/8 \$30.00
100088F - 7-1/4 \$30.00
100089F - 7-3/8 \$30.00
100090F - 7-1/2 \$30.00



Cadet Hat

Flex-fit, Bali-Song® Legend
Logoed Patch
100091F \$20.00

ACCESSORIES



**Benchmade
Coffee Mug**

Matte Black with Gloss Black
Logo, Handle and Rim
989133F.....\$12.00



**Benchmade
Pint Glass**

988053F.....\$10.00



Pro-Model Bottle Opener

Stainless Steel with Wordmark Cutout
1000000.....\$15



**Benchmade
Water Bottle**

1,000 Piece Limited Edition, Aluminum,
Damasteel® Odin Heim™ Pattern
Made in USA
989654F.....\$22.00

MAINTENANCE




Folding Tool Kit

Keep your Benchmade knife in tune with this 14-piece folding tool kit plus sharpener. Carry case included.
 985995F.....\$35.00



Blue Box

Various bit sizes with a bit holder/extension; molded plastic case, which doubles as the handle.
 981084F.....\$20.00



Benchmade Knife Sharpeners


- A. The Tactical Pro Sharpener
 Easy everyday carry with a ceramic honing surface and fish hook sharpener.
 Length 3.00"
 983902F.....\$25.00
 - B. The Mini-Tactical Pro
 Smaller version of the Tactical Pro.
 (no fish hook sharpener)
 Length 2.00"
 983903F.....\$20.00
 - C. Combo Sharpener
 Diamond honing rod allows you to sharpen serrated portions of the blade.
 Includes sheath for convenient belt carry.
 Length 5.75"
 985547F.....\$30.00
- Replacement Carbide Jaws (not shown)
 983913F.....\$7.50



BlueLube™ Lubricant BlueLube™ Cleaner

Clean, lubricate and protect your Benchmade.
 983901F – BlueLube™ Cleaner (4oz bottle).....\$10.00
 983900F – BlueLube™ Lubricant (1.25oz bottle w/nozzle)\$8.00

DISPLAYS



Magnetic Knife Display

Hinged magnetic display, holds up to nine knives. 24" x 18" x 8"
989797F\$250.00



Benchmade Foam Pad

Perfect for presenting products on retail countertops. 11 5/8" x 7 3/4"
983326F\$10.00



Plexiglass Knife Rack

Holds 7 knives.
10" D x 3 3/4" W x 3" H
985567F\$25.00



Large Display Case

Rotatable shelf, multidrawer,
6' tall floor display.
989136F\$2,000
Call for shipping.



Single Knife Holder

Transparent plastic, each one holds a
single knife in the open position.
1000005.....\$2.50



2-Piece Display Case

2-piece, 4' tall floor display. [Base
features exchangeable side panels.]
989605F - Top\$500
989604F - Base.....\$500
Call for shipping.

SHEATHS

Folder Pouch (MOLLE® Compatible)

These snap-over hood closure pouches secure the knife well and can be used for belt carry with the Malice Clip® (included), and are MOLLE® system enabled too. Heavy stitch and elasticized true fit. Made in USA.

- MOLLE® Folder Pouch \$25.00
 A. 984818F – Black for models 3300, 3320 and 9051/9052
 B. 984094F – Black for models 5000, 915/916 and 9170
 C. 984093F – Coyote for models 5000, 915/916 and 9170



140/141 Fixed Sheath (MOLLE® Compatible)

Sheaths come standard with Malice Clip® and Velcro® adjustable belt hanger for belt carry. Heavy stitch and hard liners stow the knife securely and a snap-around closure secures the handle. Made in USA.

- MOLLE® Fixed Soft Sheath \$50.00
 D. 983468F – Black
 E. 983469F – Coyote



Tek-Lok™

Multiple position options with compatible sheath.

- F. 981609F – Tek-Lok™, large size \$15.00



Malice Clips®

Injection-molded connecting clip to attach sheaths to MOLLE® systems, or to use as a belt loop style carry. Clips securely close with a snap-lock.


- G. 983551F – Large Malice Clip® (4.75" size) \$2.00
 H. 983550F – Small Malice Clip® (3" size) \$1.50



5 Hook/7 Hook/8 Hook Pouch (MOLLE® Compatible)

These Velcro® hood closure pouches secure the Rescue Hook for belt carry, and are MOLLE® system enabled with the Malice Clip® (sold separately). Made in USA.


- MOLLE® 5 Hook Pouch..... \$8.00
 I. 981494F – Black
 J. 983856F – Foliage Green



- MOLLE® 7 Hook Pouch..... \$10.00
 K. 984166F – Black
 L. 984205F – Foliage Green
 M. 984204F – Coyote



- MOLLE® 8 Hook Pouch..... \$12.00
 N. 985398F – Black
 O. 985570F – Foliage Green
 P. 985569F – Coyote



Soft Sheaths

All soft sheaths are 1680 denier poly-ballistic nylon with liners and Velcro® closures. Made in USA.

- Q. 981086F – Soft Sheath, Small (1.625" W x 5" D), black \$10.00
 981087F – Soft Sheath, Large (2" W x 5.25" D), black \$10.00
 981717F – Soft Sheath, 4" Bali-Song® Series, black..... \$10.00



SPECIAL SERVICES



LIFESHARP SERVICE




We will gladly resharpen your Benchmade knife to a factory razor sharp edge (service does not apply to any serrated portion of the blade). Simply ship your knife to us. We will inspect the knife for any warranted repairs and “tune” the knife for optimum performance. Ship the knife to Benchmade, postage-paid and insured. Please enclose your return shipping address. www.benchmade.com/lifesharp



PERSONALIZED LASER MARKING

Make any Benchmade your Benchmade. Commemorate an event or outfit the unit. Whatever the occasion, now you can have your logo or artwork laser-etched onto any Benchmade. Depending on the particular model, the mark can be placed either on the blade or, in some models, on the handles. If you are interested in this special service, simply call a Benchmade customer service representative at 800.800.7427 or visit www.benchmade.com/lasermark.



COMMITTED TO EXCELLENCE.

For over twenty-five years, Benchmade has been designing and manufacturing world-class products for world-class customers.


When Benchmade was founded, the mission was to create something better; something exceptional. Today, we continue to innovate with the goal of taking performance and reliability to the next level. To exceed what is expected.

Whether you are using a Griptilian® for every day duties or taking the fight to the enemy with the Infidel®, our knives are built to perform. When you choose to purchase a Benchmade, you do so because you want the best. You demand it. And programs like our LifeSharp Lifetime Service and Warranty are the foundation of our commitment to excellence.

We live it and breathe it, and we know what you mean when you say:

It's not a knife. It's my Benchmade.





DESIGNER COLLABORATION

Benchmade believes working with custom designers creates the most innovative and functional designs in the industry. These skilled artisans and craftsmen pour their passion into their work and agonize over every detail. By collaborating with a selection of world-class custom designers, we're able to tap into the newest locking mechanisms, modern materials, and custom blending and finishing techniques.



Mel Pardue The most senior design team member, Mel has been grinding sparks, making knives and creating a following for 25-plus years. His style has a class and simplicity all its own. The Pardue collaborations offer great utility to the everyday knife user while at the same time presenting an upscale distinction. Less is definitely more with Mel's designs.

McHenry & Williams

Bill McHenry & Jason Williams It runs in the family... Bill and son-in-law Jason spend their days making exquisite pieces of "art with an edge on it." Their dedication and talents complement one another very well and have led to several noteworthy innovations in the knife-making world. Benchmade was fortunate to be involved with one such innovation, the AXIS® mechanism. The rest is history in the making.



Warren Osborne Being raised in the farming and ranching industry taught Warren early on what great utility a quality knife can offer. How a knife feels in the hand over extended use, blade design/edge configurations, and the types of materials used are all mandatory considerations of an Osborne design.



Seiichi Nakamura Engineering was his life's work until he retired to focus his efforts on a passion for custom knife work. He specializes in small Japanese-style folders, gentleman's carry and jewelry knives. His eye for artistry and mechanical engineering make him a perfect fit for the innovative Benchmade team.



Shane Sibert Since 1994, Shane Sibert's goal has been to design and create unique knives that will evoke pride of ownership while at the same time perform tasks and challenges with exceptional ease. A lifelong avid backpacker, Sibert draws inspiration from hiking throughout the Pacific Northwest's vast wilderness. He's an occasional practitioner of martial arts and enjoys scuba diving in Oregon's chilly waters.



Ken Steigerwalt In 1978, at the age of 15, Ken found himself at the kitchen table with some files and a vise. Three years later he decided that knife-making was going to be his full-time career. Since then, Ken has dedicated himself to wowing the industry with his innovative style. He describes his work as a passion and a journey to build a better knife than the last. Benchmade has been fortunate to be involved with one such innovation, the Nitrous® Assist mechanism.

LERCH

Matthew Lerch Co-developer of the Nitrous® Assist mechanism, Matthew has his finger on the pulse of industry-leading innovations.



Bob Lum Growing up in the Pacific Northwest and a passion for eastern cultures gave him an opportunity to develop an appreciation for the importance of a fine knife which comes through in his elegant and utilitarian designs. Thanks, Bob.



Greg Thompson Greg used an extensive background in mixed martial arts to create the Special Operations Combatives Program (SOCP), a designated program for U.S. Army Special Operations Forces. With over 15 years of experience training Special Operations soldiers, Greg currently works as the Director of Training for the 18 ABN CORPS at Fort Bragg, NC.



Butch Ball Butch Ball developed a passion for knives at a very early age. After building a few fixed blades in the early '90s, he decided in 2000 to begin a true custom shop. Butch starts each knife as a prototype which he then tests, recreates and tests again. At each stage in this development process, he is thinking of ways to improve the design whether mechanical or ergonomic. The results of this process are designs that are as robust as they are innovative.



LOCKING MECHANISMS

It seems simple enough. You open the knife, you close the knife. But it's the mechanics of motion that happens in the process of opening and closing that can make the difference between ordinary and extraordinary. Is the knife easy to actuate, can it be opened with one hand, is it ambidextrous, and will it be reliable when you need it most? These are all essential considerations when it comes to knife mechanics.

AXIS®

A patented Benchmade exclusive, AXIS® has been turning heads and winning fans ever since its introduction. A 100 percent ambidextrous design, AXIS® gets its function from a small, hardened steel bar that rides forward and back in a slot machined into both steel liners. The bar extends to both sides of the knife, spans the liners and is positioned over the rear of the blade. It engages a ramped tang portion of the knife blade when it is opened. Two omega-style springs, one on each liner, give the locking bar its inertia to engage the knife tang. As a result, the tang is wedged solidly between a sizable stop pin and the AXIS® bar itself. Available in manual, AXIS® Assist or Auto AXIS® configurations.

AXIS® ASSIST

Easily opened, quickly and with one hand; this evolution of the AXIS® includes a spring that helps to fire the blade into the open position once the user pushes it beyond a certain point manually. The AXIS® lock also has the added benefit of “suck-back,” which encourages the blade to stay in the closed position. AXIS® Assist knives also feature integrated safety lock systems.

LINER LOCK

The basic principle is an integral locking bar resulting from the knife liner being stress-bent, enabling it to spring into position behind the rear tang of the blade when the blade is opened. The locking bar wedges against the rear of the blade, locking it open until you physically push it clear and close the blade (locking-liners are made either right- or left-hand specific). And with a modified locking-liner you get a patented feature that helps to enhance the lock function. The function success and function failure of a locking-liner depends greatly on how well it is made and also the quality of the materials used. With Benchmade, you get both.

MONOLOCK

The monolock mechanism is basically a locking-liner on steroids. The knife liner is one in the same as the knife handle and thus the handle is designed and made to function as the locking mechanism. Subsequently, a thicker material is used to provide enough surface area to be a functional handle and in turn creates a larger surface area to lock the blade with. If executed properly, the monolock design rates very highly in strength and function.

NAK-LOK®

Built from the framework of the locking-liner with some innovative updates. The lock engages using tensile strength, compared to the compression hold of more traditional locking-liners. With the Nak-Lok®, the possibility of personal injury is greatly reduced with the opening finger never crossing the blade's path.

NITROUS®

Another patented Benchmade exclusive, the Nitrous® boosts the blade with ease. As the blade is closed, the two torsion arms that run the length of the handle liners are secured in place and make contact with the blade tang, when opening, the user rotates the blade open to a 30-degree angle, the torsion arms take over and continue the blade opening process on their own. The huge advantage to the Nitrous® design over other similar concepts is that the blade must be rotated open to beyond a 30-degree angle which offers added user control.

BALI-SONG®

As much an art form as it is the ultimate example of form following function. The Bali-Song, or butterfly knife, is of Filipino ancestry dating back to nearly AD 800. Its basic form consists of a pin-hinged, two-piece handle which, when closed, encases the blade for carry. Opening and closing can be accomplished with a single hand, making the tool that much more utility capable.

AUTOMATICS

Sometimes restricted to Active Duty Military, Law Enforcement and Public Safety, these automatic knives utilize either push-button, slide-release, or dual-action mechanisms. Benchmade autos take full advantage of powerful springs coupled with our precisely machined lock mechanisms, providing the most reliable automatic systems available in the industry. Our patented integrated safety mechanism, located on the handle spine in all push-button automatics, can also ensure that the blade will not inadvertently deploy or close once it is locked open.

AXIS® AUTOMATIC

Auto AXIS® — Strong, reliable, fast, and AXIS® lock through and through; this locking mechanism fires the blade open 100% mechanically when the AXIS® bar is pulled downwards. Auto AXIS® also features integrated safety mechanisms and the added safety of “suck-back.”

AXIS® DUAL ACTION AUTOMATIC

Dual action knives come in multiple forms, but only one group features the strength and ambidextrous versatility of the AXIS® lock. The AXIS® Dual Action automatic mechanism allows the user to open the knife like a regular AXIS®, but there's a secret. Pull the AXIS® bar further down in its stroke and a spring takes over and fires the blade automatically.

PUSH-BUTTON AUTOMATIC

Push the button and the blade fires into the open position. Our push-button mechanisms are not only fast and convenient, they are extremely strong. Most also feature integrated safety mechanisms.

AMBIDEXTROUS PUSH-BUTTON AUTOMATIC

While push-button automatics have traditionally been single sided, Benchmade also has pioneered the first ever ambidextrous push-button autos that feature push-buttons on both sides.

OUT-THE-FRONT (OTF) AUTOMATIC

Our OTF mechanisms are mechanical masterpieces. Slide the lock button towards the top and the blade fires straight out. Pull the button back to the bottom and the blade returns to the handle.

BLADE STEELS

Benchmade uses a variety of modern materials selected for their superior performance characteristics. We strongly believe that if you're going to put this much effort into designing a premium quality performance cutting tool, then it only makes sense to build it with premium materials.

KEY

Edge Retention

How long a blade can maintain its sharpened edge

Strength

Maximum stress withstood before a blade breaks or fails

Corrosion Resistance

Resistance of a blade to oxidization and chemical attack

Toughness

Resistance of a blade to fracture and chipping

STEELS



CPM-S30V HRC: 58-60

Premium steel created especially for knives, it is a powder steel creating uniform carbide distribution and clean steel properties. As a blade material it offers excellent corrosion resistance and superb edge qualities. This stainless steel is extremely well balanced, making it one of the best all-around choices for daily tasks.




CPM-M4 HRC: 62-64

A powder-metal, non-stainless, special purpose high-speed steel with a combination of high carbon, moly, vanadium and tungsten for excellent wear resistance and toughness. Due to its lower level of chrome content it may require additional care to avoid corrosion.



CPM-20CV HRC: 59-61

Excellent edge retention and great corrosion resistance are typically hard to find in one steel, however they meet here in CPM-20CV. A powder metal steel that takes a fine edge and maintains it, 20CV is a great choice for someone looking for low maintenance and superior cutting performance.



CPM-S90V HRC: 59-61

A true super steel, S90V offers substantial improvements in corrosion resistance over 440C and wear resistance far beyond that of D2. Extremely high carbon and vanadium content gives this premium stainless powder-metal alloy the ultimate in edge retention while maintaining great strength and toughness properties.



440C HRC: 58-60

Originally designed for ball bearings, valves and gears, this high-carbon stainless steel is the staple of the cutlery industry. A high-chromium stainless steel with balanced hardness and corrosion resistance, 440C takes a fine edge and is fairly easy to re-sharpen. An excellent value-priced steel for its performance.



1095 HRC: 55-58

High carbon steel that has been used for knife blades for over a century. Excellent strength and toughness allows this steel to take a beating that would leave other blades in pieces. Poor corrosion resistance and edge retention means that you have to take a little extra care to keep the blade clean and sharp.



D2 HRC: 60-62

A high carbon, high chrome tool steel provides better edge retention than 440C and 154CM, however has less toughness and corrosion resistance than either of these alloys. The original "go-to" tool steel for knife blades, D2 provides great edge retention but requires a little extra care to keep the rust off.



M390 HRC: 58-61

A super-performance blade steel with exceptional cutting ability and wear resistance. Given its uniform microstructure M390 is often used in surgical cutting instruments and other applications that require a high finish. Extremely high carbon and chrome content also give this premium stainless powder-metal alloy the best corrosion resistance of any martensitic stainless alloy.



Damasteel HRC: 58-60

With alternating layers of RWL34 and RPM27, this powder metal 'damascus' steel doesn't just get by on its looks alone. The interweaving of these two alloys provides great strength and toughness while affording edge retention comparable to that of 440C. Used in special applications due to its high cost and artistic nature.



N680 HRC: 57-59

Special application steel for when corrosion resistance is the primary requirement. Ideal for salt water applications, the addition of nitrogen to the alloy gives this the best corrosion resistance of any blade steel, with edge retention between 420HC and 440C.



154CM HRC: 58-61

A premium grade steel developed for tough industrial applications. Known for its best all-around qualities, 154 CM offers a good balance of corrosion resistance, toughness and edge quality.

HEAT TREATMENT

Over the years we have developed a "special recipe" for heat treating our blade steels. This process maximizes the steel's molecular structure for a custom toughness and superior performance. All steels may be created equal, but when it comes to Benchmade, that's where it stops.

HANDLES AND LINERS

HANDLES

CARBON FIBER

A contemporary premium composite of thin strands of carbon tightly woven into various weave patterns, then impregnated with resin which is most commonly clear but can be color-tinted. It offers great looks and is exceptionally strong for its minimal weight.

STABILIZED WOOD

A composite material backfilled with resin, stabilized wood is much more resistant to environmental hardships than natural wood.

MICARTA

Layers of linen cloths soaked in resin and compressed together. Most commonly used on more stylish knives due to its rich color finish qualities.

6061-T6 ALUMINUM

A nonferrous metal originally developed as a premium aircraft-grade aluminum, it offers a solid handle form and function at a nominal weight. Most typically color anodized.

NORYL GTX®

A modern engineered plastic offering high-strength, low-flex and lightweight properties. Molded to form.

G10

An extremely durable makeup of layers of fiberglass soaked in resin, then highly compressed and baked. Impervious to moisture or liquid and physically stable under a wide range of temperatures. Most commonly black, but is also available in various colors.

VALOX®

A reinforced resin with excellent stiffness, strength and dimensional stability. Molded to form.

GRIVORY®

An amorphous nylon copolymer with exceptional dimensional stability. 50% or greater glass fill.

SANTOPRENE®

A thermoplastic elastomer that is molded to specification. It offers excellent flexibility with high tear strength and fatigue resistance. Resistance to many harsh chemicals. These features contribute to improved performance in a range of tough jobs.

ANODIZATION

An electrochemical process used for adding color to titanium surfaces. A combination of chemical bath and electrical voltage level generates the desired color. A similar process is used for aluminum with the addition of a chemical coloring bath.



LINERS

6AL-4V TITANIUM

Considered an exotic metal alloy (titanium + 6% aluminum + 4% vanadium) with an excellent strength-to-weight ratio that offers exceptional performance in a knife. Titanium is corrosion resistant to natural elements as well as many industrial chemicals.

410SS STAINLESS STEEL

A common knife grade with low carbon, high chromium content steel that offers excellent bend toughness and wearability. It offers excellent corrosion resistant characteristics as well.

SHEATHS

BALLISTICS NYLON

A heavy-duty woven nylon fabric originally developed for use in bulletproof vests and body armor. Offers great lightweight sheath durability.

LEATHER

A natural material dating back to human's earliest beginnings in the knife world. It can be easily dyed and tooled for desired visual effect. Offers traditionally accepted levels of performance and design capability.

KYDEX®

A mixture of acrylic and PVC that offers outstanding impact and chemical resistance as well as fire retardancy. Widely used in the auto and aerospace industries. Molded or thermo-formed.

BOLTARON®

A proprietary, fire retardant PVC/Acrylic alloy sheet, black in color, offering a UL Standard 94 V-0 fire rating, excellent impact strength, abrasion resistance, chemical resistance and thermoformability. Manufactured using recycled resin, it is a cost effective alternative to other general-purpose flame retardant materials.

The following are registered trademarks of their respective companies: Zytel®, E.I. du Pont de Nemours & Company; Kydex®, Kleerdex Company; Noryl GTX® and Valox®, General Electric Company; Santoprene®, Advanced Elastomer Systems; Grivory®, EMS-Grivory; Boltaron®, Boltaron Performance Products, LLC.



WARRANTY

LIMITED LIFETIME WARRANTY

Benchmade Knife Company, Inc. ("Benchmade") warrants to the original owner that this knife will be free from defects in materials and workmanship. Benchmade will, without charge, repair or replace, at Benchmade's option, any knife returned for warranty work and found to be defective by Benchmade, according to the terms of this Warranty. If we choose to replace the knife, we may replace it with the same model or one of equal value. The knife must be shipped by owner prepaid and insured freight, together with a description of the problem, and must be accompanied by the original bill of sale, your charge or credit card receipt or any satisfactory proof of the original date of purchase from a retail dealer. Any automatic knife (button or slide activated spring-opening) returned for Warranty service from outside of Oregon must also include a signed Automatic Knife Opening Acknowledgement ("AKOA") form, or be returned through the authorized Benchmade dealer. Any automatic knife sent by you to us without a signed AKOA form will not be returned to you. To obtain an AKOA form, please visit www.benchmade.com. NO EXCEPTIONS WILL BE MADE.

"The Benchmade Lifetime Warranty only applies to genuine Benchmade products from authorized Benchmade dealers. Knives purchased on the internet through discount websites, mail order outlets, or through any other unauthorized source, and knives which are determined by Benchmade to be counterfeit are not entitled to our warranty coverage."

WHAT IS COVERED?

This Warranty covers replacement parts and labor.

WHAT IS NOT COVERED?

This Warranty does not cover normal wear; non-factory re-sharpening of the blade; cosmetic damages (such as scratches on the product); damage caused by neglect and/or misuse (meaning use of the knife for any purpose other than its intended purpose as a cutting tool) or the failure to perform normal or necessary maintenance. The Warranty does not cover disassembly or modification of any product by any person other than Benchmade's Warranty department. The Warranty does not cover damage incurred while in shipment; insurance for the product during shipping is recommended and is your responsibility. Do not use your new knife as a screwdriver, pry bar, chisel or punch. Do not throw your knife or use it for any purpose other than cutting. Do not disassemble your knife. Do not sharpen your knife on a power grinding wheel. Any of these acts will void your Warranty. MINIMUM CHARGE TO REASSEMBLE A KNIFE WHEN THE WARRANTY HAS BEEN VOIDED IS \$20 PLUS PARTS.

Repair or replacement, as provided under this Warranty, is the exclusive remedy of the consumer. Benchmade shall not be liable for any incidental, reliance, indirect, special, punitive, exemplary, or consequential damages or breach of implied Warranty on this product, including any damage to person or property. Benchmade's liability under any and all circumstances is limited to the purchase price paid by you for the product. Some states do not allow exclusion or limitation of certain types of damages, so the above limitations or exclusions may not apply to you. This Warranty gives you specific legal rights, and you may also have other rights, which vary from state to state.

This knife has only one use, as a cutting tool. Benchmade knives carry no warranty except as expressly contained herein. Benchmade disclaims all warranties of merchantability and fitness for a particular purpose other than for use as a cutting tool.

Please review the Warranty information and proper knife care instructions provided with each knife.

ORDERING OF AUTOMATIC KNIVES

Automatic knives are available for sale in Oregon. The sale of automatic knives is federally regulated. Always check permissibility within your state or locality as non-federal personnel may be precluded from ownership or use by state laws. NO EXCEPTIONS WILL BE MADE. Purchase of automatic knives outside of the state of Oregon must be preceded by the submission of an AKOA form.

The Benchmade AKOA form can be found at www.benchmade.com/media/forms/ako_acknowledgment.pdf

SHIPPING OF AUTOMATIC KNIVES

All automatic knives shipped by Benchmade will be sent via courier (UPS, FedEx, etc.) and CANNOT be shipped through the U.S. Postal Service. Also, please note that all returns of automatic knives must be shipped via courier (UPS, FedEx, etc.). It is our policy that all automatic knives shipped out of state require a signed AKOA form. We will not ship automatic knives out of state until we receive a signed AKOA form.

ARE BENCHMADE ASSIST-OPEN KNIVES LEGAL?

Because of the way that the Benchmade assist-open knives are designed and built, they are not considered automatic or switchblade knives under federal interpretations.

Even though the Benchmade assist-open models are not classified as automatics or switchblades, it is still recommended that the user research and verify the legalities in their own specific areas.

COMPLIANCE WITH LAWS, ASSUMPTION OF RISK, RELEASE OF LIABILITY, INDEMNITY

The purchase, use, and ownership of knives is subject to a wide variety of federal, state, and local laws and regulations. Knife laws and regulations are subject to local interpretations and may change frequently. It is the responsibility of the buyer to be aware of and to comply with the laws that govern the buyer in the buyer's specific area, pertaining to owning, carrying, transporting, shipping, and using the product.

We encourage responsible ownership.

THE KNIFE IS VERY SHARP. USE WITH CARE. BE SMART AND SAFE. KEEP OUT OF REACH OF CHILDREN. MISUSE OF THE PRODUCT OR FAILURE TO PROPERLY MAINTAIN YOUR PRODUCT CAN CAUSE MECHANISMS IN THE PRODUCT TO NOT FUNCTION PROPERLY AND COULD CAUSE DAMAGE TO THE PRODUCT AND/OR SERIOUS INJURY OR EVEN DEATH.

You expressly release Benchmade from, and you expressly agree to indemnify and hold harmless Benchmade for, all claims, damages, liabilities, losses, and expenses (including reasonable attorneys' fees) resulting directly or indirectly from your purchase, ownership, transportation, shipment, use, or misuse of your product in violation of any federal, state, or local law, rule, or regulation. Except for the express product Warranty provided herein, Benchmade will not be held responsible or liable for your purchase, ownership, transportation, shipment, use, or misuse of any Benchmade product purchased, either directly from Benchmade or from any retail dealer.

PRICING

Every effort is made to ensure the accuracy of the prices and information presented in this catalog. However, we reserve the right to rectify any and all errors prior to any sale transactions. Prices shown are at suggested retail (U.S. currency). Actual purchase prices may vary. All pricing and product specifications are subject to possible change without prior notice. Visit www.benchmade.com for the latest information.



Benchmade is proud to be a charter member of AKTI. Get involved. Help to protect your knife freedoms. Join AKTI today!

877.752.8770 or www.akti.org

The following are trademarks or registered trademarks of Benchmade Knife Company, Inc. or trademarks or registered trademarks of Mentor Group, L.L.C. and used under license: Adamas; Ally; Ares; Ascender; Axial; AXIS; Bali-Song; Bali-Song (butterfly logo); Barrage; Bedlam; Benchmade; Benchmade (butterfly logo); Benchmade (wordmark logo); Benchmade HUNT. (wordmark logo); Blitz; BlueLube; Break. Cut. Escape.; Butterfly (wordmark logo); Conspiracy; Double Duty; Emissary; Epidemic; Fugitive; Genuine AXIS Mechanics (logo); Griptilian; Houdini; Impel; Infidel; Instigator; LFTI; Mangus; Megumi; Morpho; MPR; Nak-Lok; Nimravus; NimCub II; Nitrous; NTK; Onslaught; Pagan; Presidio; Pro (bullseye logo); Rift; Rolling Lock; Rukus; Scorch; Sequel; Shori; Soldat; Stryker; Subrosa; Torrent; Triage; Tumult; Venom. • NOTE: We reserve the right to make any design and/or material modifications without prior notice. • Benchmade products may be manufactured under one or more of the patents found at www.benchmade.com/patents

CUSTOM KNIFE BUILDER

- › Benchmade has great options to make your favorite knife your own
- › We offer customization for Griptilian® and Mini-Griptilian®, Barrage® and Mini-Barrage®
- › Choose from a variety of blade steels, handle colors, custom laser etching and hardware
- › We now offer custom blade colors!

To create your custom knife, please visit:
customknife.benchmade.com

The image shows a digital interface for customizing a Benchmade Barrage knife. At the top, the text reads "BENCHMADE BUILD YOUR BARRAGE". Below this are three steps: "1. BLADE", "2. PERSONALIZE", and "3. HANDLE". The current step is "3. HANDLE", which displays three knife options: a green handle with "It's not a knife." on the blade, a blue and green handle, and a blue handle with "It's my Benchmade." on the blade. Below the knives are customization options for "LEFT" and "RIGHT" sides, including "COLOR" (a grid of color swatches), "COMPONENTS" (AXIS, LINER, SCREWS), and "CLIP" (three different clip styles). A "WALLPAPER" option is also visible. At the bottom, the model is set to "BARRAGE" and the price is "\$190.00". A "SAVE & BUY" button is present. The interface is set against a dark, textured background with various tools and a "VIEWS" sheet on the right.

BENCHMADE®

300 BEAVERCREEK ROAD
OREGON CITY, OR 97045

TELEPHONE
800.800.7427
503.655.6004

CUSTOMER SERVICE FAX
503.496.1896

EMAIL
INFO@BENCHMADE.COM

WEB
BENCHMADE.COM



#MYBENCHMADE



PRSR.T STD
US POSTAGE

PAID

OREGON CITY, OR
PERMIT NO. 25

